

Raw Material and Energy Powder Surcharges 2026

USD/LB (applicable at time of shipment)



If an alloy you purchase is not listed, call Carpenter within the U.S. at 800-654-6543. Outside the U.S., call 1-610-208-2000, press 2 for Customer Service.

7/1/2026

Chrome-based (powder products)

Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® NiCr49Nb1	5.85	6.72	6.55	6.67	7.04	7.26	6.93					

Cobalt-based (powder products)

CarTech Micro-Melt® 21	15.48	18.05	19.42	20.13	19.14	19.50	19.69					
CarTech Micro-Melt® 50Nb	14.36	16.77	17.96	18.60	17.72	18.03	18.15					
CarTech Micro-Melt® 6	12.94	16.17	19.00	22.68	21.72	20.17	19.59					
CarTech Micro-Melt® BioDur® CCM®	21.71	24.36	25.82	26.48	25.17	15.76	15.94					
CarTech Micro-Melt® CCM	15.39	17.91	19.31	20.01	19.03	19.39	19.60					
CarTech Micro-Melt® CCM GADS	10.56	12.32	13.34	13.97	13.88	15.05	15.22					
CarTech Micro-Melt® CCM PLUS®	10.56	12.32	13.34	13.97	13.88	15.05	15.22					
CarTech Micro-Melt® Merl72	21.90	27.36	34.44	45.86	44.27	40.81	39.98					
CarTech Micro-Melt® WearCorr™	15.87	19.00	21.17	23.23	22.01	21.55	21.33					
Micro-Melt Biodur CCM® LS	10.93	12.77	13.82	14.49	14.38	15.59	15.76					
CarTech Micro-Melt® CCM MC	10.18	12.01	13.07	13.66	13.53	14.77	14.96					

Iron-based (powder products)

CarTech Micro-Melt® 654SMO	3.71	4.22	4.40	4.49	4.67	5.03	4.99					
CarTech Micro-Melt® LAW 100X	0.18	0.21	0.23	0.22	0.22	0.23	0.23					
CarTech Micro-Melt® 2507 SDplx	7.41	8.81	8.64	8.71	9.19	9.67	9.20					
Micro-Melt Aermet-for-tooling®	4.06	4.82	5.07	5.20	5.04	5.18	5.14					

Iron/Cobalt-based (powder products)

CarTech Micro-Melt Hiperco® 50	10.50	12.43	13.54	14.10	13.25	13.26	13.31					
--------------------------------	-------	-------	-------	-------	-------	-------	-------	--	--	--	--	--

Nickel-based (powder products)

CarTech Micro-Melt® 230	18.17	24.58	31.43	41.65	39.09	33.75	31.04					
CarTech Micro-Melt® 247LC	18.14	23.08	29.62	41.33	40.72	37.10	35.85					
CarTech Micro-Melt® 247LC Mod 1	18.02	22.98	29.55	41.31	40.71	37.10	35.86					
CarTech Micro-Melt® 600	6.56	7.98	7.65	7.66	8.13	8.52	7.96					
CarTech Micro-Melt® 622	10.94	13.42	15.12	17.42	17.24	16.79	16.01					
CarTech Micro-Melt® 622 AWS	11.02	13.50	15.20	17.50	17.33	16.88	16.10					
CarTech Micro-Melt® 625	7.87	8.79	9.49	9.09	9.51	10.05	9.74					
CarTech Micro-Melt® 625+W	8.60	9.72	10.43	9.84	10.32	10.90	10.48					
CarTech Micro-Melt® 625AM	9.16	10.39	11.12	10.52	11.04	11.68	11.24					
CarTech Micro-Melt® 625Ar	9.16	10.39	11.12	10.52	11.04	11.68	11.24					
CarTech Micro-Melt® 625LF	9.12	10.35	11.06	10.48	10.99	11.63	11.20					
CarTech Micro-Melt® 713C	7.57	8.93	8.77	8.86	9.44	9.85	9.40					
CarTech Micro-Melt® 718	7.07	7.81	8.67	7.75	8.19	8.52	8.09					
CarTech Micro-Melt® C-276	12.17	15.04	17.22	20.06	19.74	19.12	18.23					

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® HX	7.20	8.51	8.93	9.47	9.70	10.02	9.68					
CarTech Micro-Melt® IN738	11.64	14.09	16.50	21.29	21.59	20.76	20.34					
CarTech Micro-Melt® MAR-M-247	18.95	24.09	31.09	43.61	42.97	39.15	37.89					
CarTech Micro-Melt® L1	11.10	13.32	15.51	17.09	16.97	16.33	15.41					
CarTech Micro-Melt® R95	11.97	14.52	16.92	18.95	18.62	17.56	16.55					
CarTech Micro-Melt® 690	5.96	7.10	6.83	6.89	7.30	7.60	7.15					
CarTech Micro-Melt® 738 LC	11.78	14.10	16.56	21.03	21.38	20.63	20.20					
CarTech Micro-Melt® HX LC	7.68	9.08	9.52	10.07	10.29	10.63	10.27					
CarTech Micro-Melt® R77	9.53	11.17	11.36	11.62	11.83	12.22	11.90					
CarTech Micro-Melt® NiCrAlY	6.57	7.57	7.27	7.40	8.06	8.10	7.70					
Tool Steel (powder products)												
Alloy Description												
CarTech Micro-Melt Custom 470®	1.40	1.65	1.66	1.65	1.74	1.84	1.78					
CarTech Micro-Melt® 15Cr-5Ni	1.29	1.41	1.41	1.43	1.50	1.54	1.51					
CarTech Micro-Melt® 17Cr-4Ni	0.95	1.07	1.07	1.05	1.11	1.16	1.14					
CarTech Micro-Melt® 20-4	1.59	1.88	2.52	3.11	3.06	2.66	2.45					
CarTech Micro-Melt®2205 Duplex	1.62	1.80	1.91	1.95	2.02	2.18	2.19					
CarTech Micro-Melt®2505 SDplx	1.72	1.91	2.00	2.03	2.12	2.28	2.28					
CarTech Micro-Melt® 2205M	1.65	1.82	1.93	1.97	2.05	2.20	2.21					
CarTech Micro-Melt® 23	6.12	8.28	11.36	15.57	14.52	12.33	11.37					
CarTech Micro-Melt® 23S	6.12	8.28	11.36	15.57	14.52	12.33	11.37					
CarTech Micro-Melt® 2906	1.65	1.84	1.91	1.92	2.01	2.15	2.14					
CarTech Micro-Melt® 30	7.21	9.59	12.80	17.10	16.02	13.83	12.87					
CarTech Micro-Melt® 304	1.14	1.31	1.29	1.29	1.37	1.42	1.37					
CarTech Micro-Melt® 304L	1.65	1.84	1.82	1.86	1.95	2.00	1.93					
CarTech Micro-Melt® 316L	1.62	1.85	1.90	1.92	2.01	2.14	2.11					
CarTech Micro-Melt® 316L AWS	1.73	1.99	2.04	2.05	2.14	2.29	2.24					
CarTech Micro-Melt® 316L+S	1.73	1.99	2.04	2.05	2.14	2.29	2.24					
CarTech Micro-Melt® 316LN	2.40	2.71	2.76	2.81	2.93	3.09	3.02					
CarTech Micro-Melt® 316Lx1.5	2.39	2.76	2.83	2.84	2.97	3.18	3.11					
CarTech Micro-Melt® 410	0.27	0.30	0.33	0.33	0.33	0.33	0.34					
CarTech Micro-Melt® 410L	0.68	0.70	0.72	0.74	0.77	0.77	0.77					
CarTech Micro-Melt® 4112	0.68	0.72	0.79	0.78	0.81	0.87	0.89					
CarTech Micro-Melt® 420	0.72	0.74	0.76	0.78	0.81	0.81	0.81					
CarTech Micro-Melt® 420 LCM	0.72	0.74	0.77	0.79	0.82	0.82	0.82					
CarTech Micro-Melt® 420-CW	1.54	1.69	2.44	2.87	2.95	2.47	2.19					
CarTech Micro-Melt® 420LC	0.72	0.74	0.76	0.78	0.81	0.81	0.81					
CarTech Micro-Melt® 422	1.98	2.50	3.17	4.10	3.88	3.41	3.21					
CarTech Micro-Melt® 431	0.98	1.04	1.05	1.08	1.13	1.14	1.12					
CarTech Micro-Melt® 4340	0.33	0.39	0.41	0.39	0.41	0.43	0.42					

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® 440	1.25	1.35	1.87	2.17	2.20	1.87	1.68					
CarTech Micro-Melt® 440C	0.99	1.02	1.06	1.10	1.14	1.16	1.16					
CarTech Micro-Melt® 440-XH	1.13	1.18	1.28	1.34	1.38	1.38	1.37					
CarTech Micro-Melt® 53	4.71	6.18	8.67	11.70	11.04	9.26	8.44					
CarTech Micro-Melt® 60	8.42	10.99	14.64	19.26	18.17	15.79	14.71					
CarTech Micro-Melt® A11	1.59	1.75	2.58	3.04	3.10	2.60	2.30					
CarTech Micro-Melt® A11HC	2.53	2.79	3.83	4.38	4.47	4.03	3.73					
CarTech Micro-Melt® A11LVC	1.56	1.71	2.50	2.95	3.01	2.53	2.25					
CarTech Micro-Melt® A11-VP	1.70	1.88	2.72	3.23	3.24	2.72	2.39					
CarTech Micro-Melt® Aermet®100	4.20	4.98	5.25	5.38	5.22	5.36	5.33					
CarTech Micro-Melt® AISI8740	0.30	0.34	0.38	0.37	0.37	0.40	0.40					
CarTech Micro-Melt® CD#1	0.80	0.88	1.03	1.08	1.12	1.12	1.10					
CarTech Micro-Melt® D2	0.73	0.80	0.94	0.99	1.00	0.98	0.96					
CarTech Micro-Melt® D7	1.02	1.11	1.50	1.70	1.75	1.55	1.43					
CarTech Micro-Melt® F22	0.55	0.61	0.67	0.67	0.68	0.73	0.74					
CarTech Micro-Melt® H13	0.91	0.98	1.21	1.33	1.36	1.30	1.25					
CarTech Micro-Melt® H163	6.00	8.07	11.11	15.18	14.19	12.03	11.07					
CarTech Micro-Melt® M300	5.32	6.13	6.43	6.55	6.47	6.78	6.72					
CarTech Micro-Melt® M4	6.00	8.05	11.08	15.12	14.13	12.00	11.05					
CarTech Micro-Melt® M4 HCS	6.60	8.84	12.09	16.34	15.24	12.96	11.94					
CarTech Micro-Melt® M42	4.49	5.41	6.58	7.75	7.51	7.28	7.14					
CarTech Micro-Melt® M48	9.90	13.46	18.22	24.87	23.14	19.68	18.20					
CarTech Micro-Melt® M48 LS	9.94	13.50	18.26	24.91	23.19	19.73	18.24					
CarTech Micro-Melt® Maxamet®	11.41	15.87	21.96	30.63	28.38	23.51	21.44					
CarTech Micro-Melt® MV 11K	1.16	1.25	1.60	1.79	1.86	1.69	1.58					
CarTech Micro-Melt® PD#1	1.66	2.09	2.82	3.64	3.48	3.03	2.81					
CarTech Micro-Melt® PD#5	2.67	3.40	4.62	6.07	5.75	4.88	4.47					
CarTech Micro-Melt® SA508	0.37	0.42	0.46	0.45	0.46	0.49	0.49					
CarTech Micro-Melt® 15-5PH	0.92	1.04	1.04	1.02	1.08	1.13	1.11					
CarTech Micro-Melt® T15	10.28	14.44	20.18	28.44	26.28	21.64	19.67					
CarTech Micro-Melt® T15 Plus	9.69	13.34	18.34	25.38	23.56	19.70	18.04					
CarTech Micro-Melt® TD#1	2.38	3.12	4.15	5.49	5.16	4.52	4.23					
CarTech Micro-Melt® TF1	1.41	1.58	1.83	1.93	1.95	2.01	2.01					
CarTech Micro-Melt® VA176	2.23	2.41	3.31	3.88	3.92	3.35	3.00					
CarTech Micro-Melt® X245	1.64	1.81	2.66	3.15	3.22	2.69	2.38					
CarTech Micro-Melt Invar 36®	2.93	3.62	3.47	3.46	3.66	3.86	3.60					
CarTech Micro-Melt® C300	4.57	5.38	5.67	5.78	5.75	6.06	6.00					
CarTech Micro-Melt® 420-CW Mod	2.09	2.25	3.05	3.57	3.61	3.08	2.77					
Micro-Melt Ferrium® C64	9.65	11.73	11.90	12.20	12.30	12.68	12.19					
CarTech Micro-Melt® SA508 Gr4N	0.67	0.77	0.80	0.80	0.83	0.88	0.85					

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® MS-1(N)	4.63	5.45	5.74	5.85	5.82	6.13	6.08					

Unless otherwise noted, trademarks reg. U.S. Pat. & Tm. Off. to CRS Holdings, Inc., a subsidiary of Carpenter Technology Corporation.

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.