

**Raw Material and Energy Surcharges 2026 - USD/lb.**  
**(applicable at time of shipment)**



If an alloy you purchase is not listed, call Carpenter within the U.S. at 800-654-6543 Outside the U.S., call 1-610-208-2000, press 2 for Customer Service.

3/2/2026

**STAINLESS STEELS**

Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® 15-15HS® Stainless/SCF260	1.29	1.41	1.49									
CarTech® 15-15LC® Modified Stainless	1.10	1.19	1.27									
CarTech® 20Cb-3® Stainless	3.89	4.62	4.57									
CarTech® 20Mo-6® Stainless	4.63	5.43	5.50									
CarTech® 302HQ-FM® Stainless	1.18	1.37	1.35									
CarTech® 316L-SCQ® Stainless	2.08	2.40	2.45									
CarTech® 13-8 Stainless	1.62	1.81	1.88									
CarTech® 15Cr-5Ni	1.01	1.14	1.13									
CarTech® 18Cr-2Ni-12Mn	0.65	0.70	0.71									
CarTech® 18Cr-3Ni-12Mn	0.79	0.87	0.87									
CarTech® 21Cr-6Ni-9Mn	1.07	1.22	1.20									
CarTech® 22Cr-13Ni-5Mn	2.04	2.34	2.39									
CarTech® 302HQ-SFQ Stainless	1.18	1.37	1.35									
CarTech® Custom 631 (17Cr-7Ni)	1.06	1.18	1.17									
CarTech® 15-7PH Stainless	1.59	1.77	1.83									
CarTech® Custom 630 (17Cr-4Ni) Stainless	0.99	1.11	1.11									
CarTech® No. 5-F Stainless (Type 416 Mod)	0.43	0.45	0.47									
CarTech® 302 Stainless	1.18	1.37	1.35									
CarTech® 303 Stainless	1.19	1.37	1.35									
CarTech® 303 Se Stainless	1.18	1.37	1.35									
CarTech® 304/304L Stainless	1.18	1.37	1.35									
CarTech® 305 Stainless	1.39	1.63	1.59									
CarTech® 309 Stainless	1.59	1.87	1.82									
CarTech® 310 Stainless	2.08	2.46	2.39									
CarTech® 316/316L Stainless	1.82	2.08	2.14									
CarTech® 316L Stainless	1.82	2.08	2.14									
CarTech® 321 Stainless	1.33	1.56	1.53									
CarTech® 347 Stainless	1.34	1.56	1.53									
CarTech® 403 Stainless	0.42	0.44	0.47									
CarTech® 410 Stainless	0.42	0.44	0.47									
CarTech® 416 Stainless	0.43	0.45	0.47									
CarTech® 416 (No. 5) Stainless	0.43	0.45	0.47									
CarTech® 416 RS Stainless	0.43	0.45	0.47									
CarTech® 416BQ Stainless (No. 5BQ)	0.43	0.45	0.47									
CarTech® 420 Stainless	0.44	0.46	0.48									

**Raw Material and Energy Surcharges 2026 - USD/lb.**  
**(applicable at time of shipment)**



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® 420 Mod Stainless	0.44	0.46	0.48									
CarTech® 420F Stainless	0.44	0.46	0.48									
CarTech® 430 Stainless	0.48	0.50	0.53									
CarTech® 430F Stainless	0.48	0.50	0.53									
CarTech® 430FR Stainless	0.48	0.50	0.53									
CarTech® 431 Stainless	0.64	0.70	0.71									
CarTech® 434 Stainless	0.74	0.78	0.84									
CarTech® 440A Stainless	0.48	0.50	0.52									
CarTech® 440C Stainless	0.48	0.50	0.52									
CarTech® 440F-Se Stainless	0.48	0.50	0.52									
CarTech® 446 Stainless	0.58	0.60	0.62									
CarTech® 204-Cu Stainless	1.25	1.37	1.75									
CarTech® Consumet® 304L-SCQ	1.18	1.37	1.35									
CarTech® Custom 450® Stainless	1.55	1.75	1.83									
CarTech® Custom 455® Stainless	1.23	1.41	1.40									
CarTech® Custom 465® Stainless	1.84	2.08	2.09									
CarTech® Custom 475™ Stainless	4.35	4.92	5.25									
CarTech® Custom Flo 302HQ Stainless	1.18	1.37	1.35									
CarTech® EnduraMet® 2205 Stainless	1.61	1.81	1.91									
CarTech® Gall-Tough® PLUS Stainless	1.14	1.32	1.30									
CarTech® Gall-Tough® Stainless	0.87	0.99	0.99									
CarTech® 15Cr-5Ni Project 70+® Stainless	1.01	1.14	1.13									
CarTech® Custom 630 Project 70+® Stainless	0.99	1.11	1.11									
CarTech® 303 Project 70+® Escomatic Quality	1.19	1.37	1.35									
CarTech® 303 Project 70+® Stainless	1.19	1.37	1.35									
CarTech® 304/304L Project 70+® Stainless	1.22	1.41	1.39									
CarTech® 316/316L Project 70+® Stainless	1.82	2.08	2.14									
CarTech® 416 Project 70+® Stainless	0.43	0.45	0.47									
CarTech® Pyrowear® 675 Stainless	2.24	2.57	2.79									
CarTech® SCF 19 Max® Alloy	3.03	3.49	3.60									
CarTech® 410 Mod Stainless	0.42	0.45	0.47									
CarTech® TrimRite® Stainless	0.66	0.71	0.75									
CarTech® 409Cb Stainless	0.43	0.46	0.48									
CarTech® 409Cb High Nickel Stainless	0.43	0.46	0.48									
CarTech® 2507 Super Duplex Stainless	1.91	2.13	2.24									
CarTech® Ni-Cu K500	7.05	8.38	8.09									
CarTech® 330 Stainless	3.19	3.87	3.72									
CarTech® 317 Stainless	2.30	2.65	2.72									

**Raw Material and Energy Surcharges 2026 - USD/lb.**  
**(applicable at time of shipment)**



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® A-21®	0.75	0.84	0.87									

**AEROSPACE AND HIGH TEMPERATURE ALLOYS**

CarTech® A-286 Alloy	3.24	3.74	3.74									
CarTech® Alloy 2 (159 ALY / MP159)	25.70	29.54	31.05									
CarTech® Greek Ascology (418 SS)	3.08	4.25	5.74									
CarTech® L-605 Alloy	29.02	36.73	45.06									
CarTech® Waspaloy	10.64	12.27	12.52									
CarTech® 350 (Pyromet® 350)	1.48	1.65	1.76									
CarTech® 355 (Pyromet® 355)	1.49	1.66	1.77									
CarTech® 41 (Pyromet® 41)	11.49	13.09	13.64									
CarTech® 600 (Pyromet® 600)	6.16	7.53	7.20									
CarTech® 625 (Pyromet® 625)	9.46	10.61	11.54									
CarTech® 680 (Pyromet® 680)	7.91	9.06	9.45									
CarTech® 706 (Pyromet® 706)	4.75	5.33	5.71									
CarTech® 718 (Pyromet® 718)	7.22	7.95	8.86									
CarTech® 720 (Pyromet® 720)	11.49	13.53	14.36									
CarTech® 80A (Pyromet® 80A)	6.59	7.91	7.58									
CarTech® 825 (Pyromet® 825)	5.11	6.12	6.02									
CarTech® 882 (Pyromet® 882)	0.69	0.75	0.86									
CarTech® 901 (Pyromet® 901)	5.77	6.67	6.84									
CarTech® CTX-1 (Pyromet® CTX-1)	8.32	9.42	10.12									
CarTech® CTX-3 (Pyromet® CTX-3)	8.42	9.38	10.44									
CarTech® CTX-909 (Pyromet® CTX-909)	8.40	9.36	10.40									
CarTech® X-750 (Pyromet® X-750)	6.39	7.64	7.48									
CarTech® C-263	12.55	14.43	15.00									
CarTech® Thermo-Span® Alloy	12.49	13.68	15.37									

**MAGNETIC, CONTROLLED EXPANSION AND ELECTRICAL ALLOYS**

CarTech® 22-3 High Thermal Expansion	1.97	2.41	2.33									
CarTech® Electrical Iron	0.25	0.28	0.31									
CarTech® Glass Sealing 42	3.39	4.17	4.00									
CarTech® Glass Sealing 52	4.04	5.00	4.79									
CarTech® High Permeability "49"® Alloy	3.85	4.77	4.56									
CarTech® HyMu "80"® Alloy	7.28	8.89	8.99									
CarTech® HyMu "80"® Mark II Alloy	7.28	8.89	8.69									
CarTech® HyMu "800"	7.54	9.16	8.99									

**Raw Material and Energy Surcharges 2026 - USD/lb.**  
**(applicable at time of shipment)**



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® Super Invar 32-5	3.84	4.67	4.65									
CarTech® Invar 36 Alloy	3.00	3.70	3.55									
CarTech® Low Expansion "42"® Alloy / Thermostat	3.39	4.17	4.00									
CarTech® Low Expansion 43-PH	3.59	4.39	4.22									
CarTech® Nickel 200 Alloy	7.79	9.68	9.23									
CarTech® Nickel 201 Alloy, Nickel 205 Alloy	7.74	9.61	9.16									
CarTech® Silicon Core Iron "A-FM"	0.18	0.21	0.24									
CarTech® Silicon Core Iron "B"	0.25	0.28	0.31									
CarTech® Silicon Core Iron "B-FM"	0.25	0.28	0.31									
CarTech® Temperature Compensator "30"® Type 2	2.47	3.06	2.94									
CarTech® Temperature Compensator "30"® Type 4	2.47	3.06	2.94									
CarTech® Temperature Compensator "32"	2.66	3.30	3.17									
CarTech® Chrome Core® 8-FM Alloy	0.44	0.48	0.51									
CarTech® Chrome Core® 12-FM Alloy	0.50	0.53	0.56									
CarTech® Chrome Core® 13-FM	0.51	0.54	0.58									
CarTech® Chrome Core® 13-XP	0.70	0.75	0.86									
CarTech® Chrome Core® 18-FM Alloy	0.92	0.98	1.06									
CarTech® Free-Cut Invar "36"® Alloy	3.00	3.70	3.55									
CarTech® Hiperc® 27 Alloy	8.15	9.22	9.75									
CarTech® Hiperc® 50 Alloy	14.68	16.61	17.72									
CarTech® Hiperc® 50 HS Alloy	14.49	16.41	17.51									
CarTech® Hiperc® 50A Alloy	14.68	16.61	17.72									
CarTech® Hy Mu 77 Alloy	6.35	7.83	7.49									
CarTech® Hy-Ra "49"® Alloy	3.85	4.77	4.56									
CarTech® Kovar® Alloy	5.98	7.20	7.41									
CarTech® MagneDur® 20-4 Alloy	2.72	3.21	3.29									
CarTech® No. 1 JR® Type 1 Alloy	0.88	0.67	0.69									
CarTech® No. 1 JR® Type 2 Alloy	0.62	0.54	0.57									
CarTech® Rotelloy 3 Alloy	14.77	16.71	17.82									
CarTech® Rotelloy 8 Alloy	14.70	16.64	17.75									
CarTech® Mumetal	7.28	8.85	8.66									
CarTech® Hypocore	1.29	1.51	1.63									
CarTech® High Expansion 25-8	2.26	2.75	2.65									
CarTech® Low Expansion 50	4.09	5.05	4.83									
CarTech® Low Expansion 40	3.31	4.08	3.91									
CarTech® Low Expansion 45	3.63	4.49	4.30									
CarTech® High Expansion 19-7	1.79	2.16	2.09									
CarTech® High Expansion 19-2	1.76	2.15	2.08									

**Raw Material and Energy Surcharges 2026 - USD/lb.**  
(applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® Low Expansion 38-7	3.23	3.95	3.80									
CarTech® High Expansion 72	2.56	2.91	2.93									

**MEDICAL ALLOYS**

CarTech® BioDur® 108 Alloy	0.81	0.85	0.90									
CarTech® BioDur® 22Cr-13Ni-5Mn Stainless	2.04	2.34	2.39									
CarTech® BioDur® 316LS Stainless	2.25	2.60	2.66									
CarTech® BioDur® 470/Custom 470	1.47	1.72	1.73									
CarTech® BioDur® 734 Alloy	1.89	2.15	2.21									
CarTech® BioDur® Carpenter CCM® Alloy	22.27	24.94	26.51									
CarTech® BioDur® TrimRite® Stainless	0.66	0.71	0.75									
CarTech® Micro-Melt® BioDur® Carpenter CCM® Alloy	22.18	24.83	26.42									
CarTech® Micro-Melt® BioDur® CCM Plus®	21.36	23.89	25.42									
CarTech® Conichrome Alloy	16.15	18.16	19.27									

**CORROSION-RESISTANT ALLOYS**

CarTech® Alloy 22	11.88	14.36	16.33									
CarTech® Alloy C-276	10.46	11.94	12.92									
CarTech® MP35N* Alloy	27.39	31.65	33.17									
CarTech® Ni-Cu 400	7.14	8.58	8.28									
CarTech® Ni-Cu 405	7.14	8.58	8.28									
CarTech® Custom Age 625 PLUS® / 725	9.05	10.18	11.01									
CarTech® 925	5.34	6.18	6.17									
*MP35N is a trademark of SPS Technologies, Inc.												

**BEARING AND GEAR STEELS**

CarTech® 52100	0.26	0.29	0.31									
CarTech® 52100T2	0.26	0.29	0.31									
CarTech® Aero-A6	0.53	0.58	0.74									
CarTech® BG-42	1.88	2.04	2.39									
CarTech® CBS 223	1.67	1.78	2.11									
CarTech® CBS 600	1.47	1.57	1.79									
CarTech® CBS50Nil	3.16	3.49	3.91									
CarTech® CSS-42L	5.24	5.91	6.44									
CarTech® Dynaflex	0.76	0.83	0.97									
CarTech® L-6490	1.72	1.89	2.23									
CarTech® Lesco® 53	2.10	2.32	2.58									
CarTech® Pyrowear® Alloy 53	2.10	2.32	2.58									

**Raw Material and Energy Surcharges 2026 - USD/lb.**  
**(applicable at time of shipment)**



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® M-50	1.72	1.89	2.23									
CarTech® QC61	5.80	6.72	7.07									
CarTech® QC64	5.45	6.28	6.66									

**ALLOY STEELS**

CarTech® 300M	0.52	0.60	0.64									
CarTech® 35NCD16	0.56	0.67	0.68									
CarTech® 4130 , 4140, 4150	0.31	0.34	0.38									
CarTech® 4319, 4320, 4343	0.46	0.54	0.56									
CarTech® 4330+V, 4335+V	0.54	0.62	0.67									
CarTech® 4340, 4340 VV	0.46	0.54	0.56									
CarTech® 6150	0.31	0.34	0.39									
CarTech® 8620	0.34	0.39	0.42									
CarTech® 9310, 9315	0.53	0.63	0.64									
CarTech® AerMet® 100 Alloy	5.35	6.11	6.39									
CarTech® AerMet® 310 Alloy	5.95	6.80	7.13									
CarTech® AerMet® 340 Alloy	6.33	7.23	7.60									
CarTech® AF1410	4.77	5.55	5.82									
CarTech® No. 158® Alloy	0.54	0.64	0.65									
CarTech® D6AC	0.61	0.68	0.76									
CarTech® GNB100	0.84	0.98	1.06									
CarTech® HP-9-4-20	2.33	2.75	2.86									
CarTech® HP-9-4-30	2.21	2.59	2.71									
CarTech® HY180	3.31	3.88	4.04									
CarTech® HYTUF	0.57	0.67	0.70									
CarTech® L-6305	0.44	0.49	0.57									
CarTech® NiMark® Alloy 250	5.29	6.05	6.41									
CarTech® NiMark+A273 Alloy 250-LR	5.29	6.05	6.41									
CarTech® NiMark® Alloy 300	5.67	6.48	6.87									
CarTech® Nitralloy 135	0.39	0.39	0.42									
CarTech® Nitralloy N	0.59	0.70	0.71									
CarTech® PremoMax® Alloy	0.47	0.53	0.60									
CarTech® PremoMet® Alloy	0.77	0.90	0.96									
CarTech® QM54	3.96	4.88	5.87									
CarTech® UT-18	0.62	0.68	0.78									

**SPECIALTY ALLOYS**

CarTech® AEREX	27.66	32.33	36.80									
----------------	-------	-------	-------	--	--	--	--	--	--	--	--	--

**Raw Material and Energy Surcharges 2026 - USD/lb.**  
(applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® JETHETE	1.41	1.73	1.70									
CarTech® QS53	5.92	7.07	8.01									
CarTech® XM-27	2.68	2.67	2.85									

**SPECIAL PURPOSE ALLOYS**

CarTech® CBX Cupron® Alloy	6.78	7.96	7.75									
CarTech® Evanohm® Alloy R	6.89	8.19	7.86									
CarTech® Manganin 13	5.72	6.37	6.33									
CarTech® NIAL Alloy	7.62	9.36	8.93									
CarTech® NIAL Alloy / Low Resistivity NIAL	7.62	9.36	8.93									

**VALVE STEELS**

CarTech® 31V (Pyromet® 31V)	6.05	7.10	6.97									
CarTech® 751 (Pyromet® 751)	6.10	7.37	7.06									
CarTech® 80A (Pyromet® 80A) Valve	6.59	7.91	7.58									

**HIGH SPEED STEELS (not applicable to powder products)**

CarTech® M1 - Tatmo	3.85	4.65	5.84									
CarTech® M2 - Double 6	7.52	10.16	13.84									
CarTech® M2 - Double 6-XL	7.25	9.79	13.34									
CarTech® M4 - Stark	6.58	8.80	12.05									
CarTech® M7 - Tatmo-VN	4.16	5.04	6.43									
CarTech® M11 - Vancomo	3.53	4.03	4.82									
CarTech® M35 - HS 105	8.31	11.00	14.62									
CarTech® M42 - Dynamax	5.95	7.06	8.48									
CarTech® M50 - CM-50	1.72	1.89	2.23									
CarTech® Abscido	4.29	5.67	7.71									
CarTech® Supersaw	4.29	5.08	6.01									

**TOOL STEELS (not applicable to powder products)**

CarTech® A2 - Select-B	0.65	0.71	0.80									
CarTech® A6 - Lesco A6	0.59	0.65	0.73									
CarTech® A7 - Brickmold	1.35	1.47	2.00									
CarTech® A8 - MGR	1.78	2.29	3.00									
CarTech® A9 - Mazeman	1.00	1.12	1.30									
CarTech® A10 - Graph-Air	0.79	0.90	0.99									
CarTech® A18 - Whitebear	1.10	1.21	1.51									
CarTech® D3 - GSN	0.50	0.53	0.58									

**Raw Material and Energy Surcharges 2026 - USD/lb.**  
**(applicable at time of shipment)**



<b>Alloy Description</b>	<b>Jan</b>	<b>Feb</b>	<b>Mar</b>	<b>Apr</b>	<b>May</b>	<b>Jun</b>	<b>Jul</b>	<b>Aug</b>	<b>Sep</b>	<b>Oct</b>	<b>Nov</b>	<b>Dec</b>
CarTech® D4 - GSN+Mo	0.35	0.38	0.43									
CarTech® D7 - BR-4	1.31	1.42	1.89									
CarTech® H11 - Dycast	0.73	0.80	0.93									
CarTech® H12 - L.P.D.®	1.96	2.55	3.36									
CarTech® H13++ - VDC-RF	0.83	0.91	1.09									
CarTech® H13-FM - Viscount	0.85	0.93	1.11									
CarTech® H19 - Lesco19	5.40	7.23	9.71									
CarTech® H21 - CLW	8.28	11.76	16.41									
CarTech® H26 - H26 Mod	16.39	23.34	32.63									
CarTech® H43 - Lesco 43	5.35	7.19	9.68									
CarTech® L6 - Montana	4.05	5.68	7.81									
CarTech® O1 - Badger	0.72	0.94	1.23									
CarTech® O6 - Graph-Mo	0.35	0.38	0.43									
CarTech® O7 - Lesco O7	1.61	2.22	3.02									
CarTech® S1 - XL®-Chisel	2.10	2.91	3.99									
CarTech® S4 - Damascus	0.27	0.30	0.33									
CarTech® S5 - Lanark	0.64	0.71	0.82									
CarTech® S7 - Bearcat	0.70	0.77	0.86									
CarTech® CAT4039	0.93	1.03	1.20									
CarTech® Lescowear	2.11	2.65	3.54									
CarTech® Mandrel	0.53	0.62	0.65									
CarTech® 420-FM - Saxman-FM	0.57	0.60	0.66									
CarTech® 420SS - Saxman6R	0.57	0.60	0.66									
<b>Conversion Services (Natural Gas Surcharges)</b>												
Process 1 - Non-Ti Air Cool	0.04	0.06	0.06									
Process 2 - Non Ti Fce Cool	0.05	0.08	0.09									
Process 3 - General Ti	0.04	0.06	0.06									
Process 4 Special Processing	0.05	0.08	0.09									
Process 5 - Machining Only	0.00	0.00	0.00									
Process 6 - Remelt Only	0.00	0.00	0.00									