

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



If an alloy you purchase is not listed, call Carpenter within the U.S. at 800-654-6543 Outside the U.S., call 1-610-208-2000, press 2 for Customer Service.

5/7/2026

Last Updated

Alloy Description	Dec'25	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
STAINLESS STEELS													
CarTech® 15-15HS® Stainless/SCF260	1.33	1.29	1.41	1.49	1.50	1.56							
CarTech® 15-15LC® Modified Stainless	1.14	1.10	1.19	1.27	1.28	1.32							
CarTech® 20Cb-3® Stainless	3.88	3.89	4.62	4.57	4.56	4.81							
CarTech® 20Mo-6® Stainless	4.66	4.63	5.43	5.50	5.52	5.79							
CarTech® 302HQ-FM® Stainless	1.20	1.18	1.37	1.35	1.34	1.42							
CarTech® 316L-SCQ® Stainless	2.11	2.08	2.40	2.45	2.46	2.57							
CarTech® 13-8 Stainless	1.63	1.62	1.81	1.88	1.90	2.00							
CarTech® 15Cr-5Ni	1.01	1.01	1.14	1.13	1.11	1.18							
CarTech® 18Cr-2Ni-12Mn	0.67	0.65	0.70	0.71	0.70	0.74							
CarTech® 18Cr-3Ni-12Mn	0.80	0.79	0.87	0.87	0.86	0.91							
CarTech® 21Cr-6Ni-9Mn	1.08	1.07	1.22	1.20	1.19	1.27							
CarTech® 22Cr-13Ni-5Mn	2.07	2.04	2.34	2.39	2.39	2.51							
CarTech® 302HQ-SFQ Stainless	1.20	1.18	1.37	1.35	1.34	1.42							
CarTech® Custom 631 (17Cr-7Ni)	1.04	1.06	1.18	1.17	1.17	1.26							
CarTech® 15-7PH Stainless	1.59	1.59	1.77	1.83	1.85	1.95							
CarTech® Custom 630 (17Cr-4Ni) Stainless	0.99	0.99	1.11	1.11	1.09	1.15							
CarTech® No. 5-F Stainless (Type 416 Mod)	0.45	0.43	0.45	0.47	0.46	0.48							
CarTech® 302 Stainless	1.20	1.18	1.37	1.35	1.34	1.42							
CarTech® 303 Stainless	1.20	1.19	1.37	1.35	1.34	1.42							
CarTech® 303 Se Stainless	1.20	1.18	1.37	1.35	1.34	1.42							
CarTech® 304/304L Stainless	1.20	1.18	1.37	1.35	1.34	1.42							
CarTech® 305 Stainless	1.40	1.39	1.63	1.59	1.58	1.68							
CarTech® 309 Stainless	1.60	1.59	1.87	1.82	1.81	1.92							
CarTech® 310 Stainless	2.08	2.08	2.46	2.39	2.38	2.53							
CarTech® 316/316L Stainless	1.85	1.82	2.08	2.14	2.14	2.24							
CarTech® 316L Stainless	1.85	1.82	2.08	2.14	2.14	2.24							
CarTech® 321 Stainless	1.34	1.33	1.56	1.53	1.52	1.61							
CarTech® 347 Stainless	1.34	1.34	1.56	1.53	1.52	1.61							
CarTech® 403 Stainless	0.45	0.42	0.44	0.47	0.45	0.47							
CarTech® 410 Stainless	0.45	0.42	0.44	0.47	0.45	0.47							
CarTech® 416 Stainless	0.45	0.43	0.45	0.47	0.46	0.48							
CarTech® 416 (No. 5) Stainless	0.45	0.43	0.45	0.47	0.46	0.48							
CarTech® 416 RS Stainless	0.45	0.43	0.45	0.47	0.46	0.48							
CarTech® 416BQ Stainless (No. 5BQ)	0.45	0.43	0.45	0.47	0.46	0.48							

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Dec'25	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® 420 Stainless	0.46	0.44	0.46	0.48	0.47	0.49							
CarTech® 420 Mod Stainless	0.46	0.44	0.46	0.48	0.47	0.49							
CarTech® 420F Stainless	0.46	0.44	0.46	0.48	0.47	0.49							
CarTech® 430 Stainless	0.51	0.48	0.50	0.53	0.51	0.54							
CarTech® 430F Stainless	0.51	0.48	0.50	0.53	0.51	0.54							
CarTech® 430FR Stainless	0.51	0.48	0.50	0.53	0.51	0.54							
CarTech® 431 Stainless	0.66	0.64	0.70	0.71	0.70	0.74							
CarTech® 434 Stainless	0.77	0.74	0.78	0.84	0.84	0.87							
CarTech® 440A Stainless	0.51	0.48	0.50	0.52	0.51	0.54							
CarTech® 440C Stainless	0.51	0.48	0.50	0.52	0.51	0.54							
CarTech® 440F-Se Stainless	0.51	0.48	0.50	0.52	0.51	0.54							
CarTech® 446 Stainless	0.60	0.58	0.60	0.62	0.61	0.64							
CarTech® 204-Cu Stainless	1.25	1.25	1.37	1.75	1.99	2.01							
CarTech® Consumet® 304L-SCQ	1.20	1.18	1.37	1.35	1.34	1.42							
CarTech® Custom 450® Stainless	1.58	1.55	1.75	1.83	1.83	1.90							
CarTech® Custom 455® Stainless	1.29	1.23	1.41	1.40	1.38	1.45							
CarTech® Custom 465® Stainless	1.95	1.84	2.08	2.09	2.08	2.18							
CarTech® Custom 475™ Stainless	4.30	4.35	4.92	5.25	5.37	5.34							
CarTech® Custom Flo 302HQ Stainless	1.20	1.18	1.37	1.35	1.34	1.42							
CarTech® EnduraMet® 2205 Stainless	1.66	1.61	1.81	1.91	1.92	2.00							
CarTech® Gall-Tough® PLUS Stainless	1.15	1.14	1.32	1.30	1.29	1.36							
CarTech® Gall-Tough® Stainless	0.89	0.87	0.99	0.99	0.98	1.03							
CarTech® 15Cr-5Ni Project 70+® Stainless	1.01	1.01	1.14	1.13	1.11	1.18							
CarTech® Custom 630 Project 70+® Stainless	0.99	0.99	1.11	1.11	1.09	1.15							
CarTech® 303 Project 70+® Escomatic Quality	1.20	1.19	1.37	1.35	1.34	1.42							
CarTech® 303 Project 70+® Stainless	1.20	1.19	1.37	1.35	1.34	1.42							
CarTech® 304/304L Project 70+® Stainless	1.23	1.22	1.41	1.39	1.37	1.46							
CarTech® 316/316L Project 70+® Stainless	1.85	1.82	2.08	2.14	2.14	2.24							
CarTech® 416 Project 70+® Stainless	0.45	0.43	0.45	0.47	0.46	0.48							
CarTech® Pyrowear® 675 Stainless	2.18	2.24	2.57	2.79	2.88	2.83							
CarTech® SCF 19 Max® Alloy	3.08	3.03	3.49	3.60	3.62	3.78							
CarTech® 410 Mod Stainless	0.45	0.42	0.45	0.47	0.46	0.48							
CarTech® TrimRite® Stainless	0.69	0.66	0.71	0.75	0.74	0.77							
CarTech® 409Cb Stainless	0.46	0.43	0.46	0.48	0.47	0.49							
CarTech® 409Cb High Nickel Stainless	0.46	0.43	0.46	0.48	0.47	0.49							
CarTech® 2507 Super Duplex Stainless	1.96	1.91	2.13	2.24	2.26	2.35							
CarTech® Ni-Cu K500	6.73	7.05	8.38	8.09	8.02	8.57							
CarTech® 330 Stainless	3.16	3.19	3.87	3.72	3.70	3.94							
CarTech® 317 Stainless	2.34	2.30	2.65	2.72	2.73	2.85							

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Dec'25	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® A-21®	0.78	0.75	0.84	0.87	0.87	0.87							
CarTech® A-421®	0.78	0.80	0.89	0.93	0.92	0.96							

AEROSPACE AND HIGH TEMPERATURE ALLOYS

CarTech® A-286 Alloy	3.34	3.24	3.74	3.74	3.77	3.95							
CarTech® Alloy 2 (159 ALY / MP159)	24.62	25.70	29.54	31.05	31.90	31.99							
CarTech® Greek Ascoloy (418 SS)	2.94	3.08	4.25	5.74	7.90	7.33							
CarTech® L-605 Alloy	27.42	29.02	36.73	45.06	56.38	52.35							
CarTech® Waspaloy	10.49	10.64	12.27	12.52	12.71	12.79							
CarTech® 350 (Pyromet® 350)	1.53	1.48	1.65	1.76	1.76	1.83							
CarTech® 355 (Pyromet® 355)	1.54	1.49	1.66	1.77	1.77	1.84							
CarTech® 41 (Pyromet® 41)	11.51	11.49	13.09	13.64	13.86	13.93							
CarTech® 600 (Pyromet® 600)	6.18	6.16	7.53	7.20	7.18	7.65							
CarTech® 625 (Pyromet® 625)	9.87	9.46	10.61	11.54	10.91	11.29							
CarTech® 680 (Pyromet® 680)	8.20	7.91	9.06	9.45	9.56	9.77							
CarTech® 706 (Pyromet® 706)	4.89	4.75	5.33	5.71	5.16	5.48							
CarTech® 718 (Pyromet® 718)	7.50	7.22	7.95	8.86	7.92	8.32							
CarTech® 720 (Pyromet® 720)	11.14	11.49	13.53	14.36	15.48	15.32							
CarTech® 80A (Pyromet® 80A)	6.57	6.59	7.91	7.58	7.60	8.12							
CarTech® 825 (Pyromet® 825)	5.08	5.11	6.12	6.02	6.02	6.35							
CarTech® 882 (Pyromet® 882)	0.73	0.69	0.75	0.86	0.88	0.89							
CarTech® 901 (Pyromet® 901)	5.93	5.77	6.67	6.84	6.90	7.13							
CarTech® CTX-1 (Pyromet® CTX-1)	8.05	8.32	9.42	10.12	9.70	9.67							
CarTech® CTX-3 (Pyromet® CTX-3)	8.26	8.42	9.38	10.44	9.63	9.61							
CarTech® CTX-909 (Pyromet® CTX-909)	8.23	8.40	9.36	10.40	9.61	9.59							
CarTech® X-750 (Pyromet® X-750)	6.40	6.39	7.64	7.48	7.33	7.82							
CarTech® C-263	12.37	12.55	14.43	15.00	15.36	15.20							
CarTech® Thermo-Span® Alloy	12.14	12.49	13.68	15.37	14.42	14.05							

MAGNETIC, CONTROLLED EXPANSION AND ELECTRICAL ALLOYS

CarTech® 22-3 High Thermal Expansion	1.97	1.97	2.41	2.33	2.31	2.45							
CarTech® Electrical Iron	0.28	0.25	0.28	0.31	0.29	0.29							
CarTech® Glass Sealing 42	3.35	3.39	4.17	4.00	3.99	4.22							
CarTech® Glass Sealing 52	3.99	4.04	5.00	4.79	4.77	5.06							
CarTech® High Permeability "49"® Alloy	3.80	3.85	4.77	4.56	4.54	4.82							
CarTech® HyMu "80"® Alloy	7.23	7.28	8.89	8.99	9.00	9.49							
CarTech® HyMu "80"® Mark II Alloy	7.23	7.28	8.89	8.69	8.69	9.17							
CarTech® HyMu "800"	7.49	7.54	9.16	8.99	9.00	9.49							
CarTech® Super Invar 32-5	3.71	3.84	4.67	4.65	4.68	4.77							

**Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)**



Alloy Description	Dec'25	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® Invar 36 Alloy	2.97	3.00	3.70	3.55	3.53	3.74							
CarTech® Low Expansion "42"® Alloy / Thermostat	3.35	3.39	4.17	4.00	3.99	4.22							
CarTech® Low Expansion 43-PH	3.54	3.59	4.39	4.22	4.20	4.47							
CarTech® Nickel 200 Alloy	7.67	7.79	9.68	9.23	9.20	9.77							
CarTech® Nickel 201 Alloy, Nickel 205 Alloy	7.62	7.74	9.61	9.16	9.14	9.71							
CarTech® Silicon Core Iron "A-FM"	0.21	0.18	0.21	0.24	0.22	0.22							
CarTech® Silicon Core Iron "B"	0.28	0.25	0.28	0.31	0.29	0.29							
CarTech® Silicon Core Iron "B-FM"	0.28	0.25	0.28	0.31	0.29	0.29							
CarTech® Temperature Compensator "30"® Type 2	2.45	2.47	3.06	2.94	2.92	3.10							
CarTech® Temperature Compensator "30"® Type 4	2.45	2.47	3.06	2.94	2.92	3.10							
CarTech® Temperature Compensator "32"	2.64	2.66	3.30	3.17	3.15	3.34							
CarTech® Chrome Core® 8-FM Alloy	0.47	0.44	0.48	0.51	0.50	0.52							
CarTech® Chrome Core® 12-FM Alloy	0.53	0.50	0.53	0.56	0.55	0.58							
CarTech® Chrome Core® 13-FM	0.54	0.51	0.54	0.58	0.57	0.59							
CarTech® Chrome Core® 13-XP	0.73	0.70	0.75	0.86	0.90	0.92							
CarTech® Chrome Core® 18-FM Alloy	0.96	0.92	0.98	1.06	1.07	1.10							
CarTech® Free-Cut Invar "36"® Alloy	2.97	3.00	3.70	3.55	3.53	3.74							
CarTech® Hiperco® 27 Alloy	7.67	8.15	9.22	9.75	10.01	9.42							
CarTech® Hiperco® 50 Alloy	13.79	14.68	16.61	17.72	18.29	17.23							
CarTech® Hiperco® 50 HS Alloy	13.61	14.49	16.41	17.51	18.07	17.03							
CarTech® Hiperco® 50A Alloy	13.79	14.68	16.61	17.72	18.29	17.23							
CarTech® Hy Mu 77 Alloy	6.23	6.35	7.83	7.49	7.45	7.92							
CarTech® Hy-Ra "49"® Alloy	3.80	3.85	4.77	4.56	4.54	4.82							
CarTech® Kovar® Alloy	5.64	5.98	7.20	7.41	7.56	7.43							
CarTech® MagneDur® 20-4 Alloy	2.76	2.72	3.21	3.29	3.30	3.43							
CarTech® No. 1 JR® Type 1 Alloy	0.64	0.88	0.67	0.69	0.77	0.99							
CarTech® No. 1 JR® Type 2 Alloy	0.53	0.62	0.54	0.57	0.59	0.70							
CarTech® Rotelloy 3 Alloy	13.87	14.77	16.71	17.82	18.39	17.33							
CarTech® Rotelloy 8 Alloy	13.80	14.70	16.64	17.75	18.32	17.26							
CarTech® Mumetal	7.20	7.28	8.85	8.66	8.65	9.12							
CarTech® Hypocore	1.22	1.29	1.51	1.63	1.67	1.58							
CarTech® High Expansion 25-8	2.25	2.26	2.75	2.65	2.64	2.79							
CarTech® Low Expansion 50	4.03	4.09	5.05	4.83	4.81	5.10							
CarTech® Low Expansion 40	3.27	3.31	4.08	3.91	3.89	4.12							
CarTech® Low Expansion 45	3.58	3.63	4.49	4.30	4.28	4.54							
CarTech® High Expansion 19-7	1.78	1.79	2.16	2.09	2.08	2.20							
CarTech® High Expansion 19-2	1.76	1.76	2.15	2.08	2.07	2.18							
CarTech® Low Expansion 38-7	3.20	3.23	3.95	3.80	3.78	4.01							
CarTech® High Expansion 72	2.46	2.56	2.91	2.93	2.92	3.04							

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Dec'25	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-------------------	--------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

MEDICAL ALLOYS

CarTech® BioDur® 108 Alloy	0.84	0.81	0.85	0.90	0.90	0.94							
CarTech® BioDur® 22Cr-13Ni-5Mn Stainless	2.07	2.04	2.34	2.39	2.39	2.51							
CarTech® BioDur® 316LS Stainless	2.28	2.25	2.60	2.66	2.66	2.79							
CarTech® BioDur® 470/Custom 470	1.49	1.47	1.72	1.73	1.72	1.81							
CarTech® BioDur® 734 Alloy	1.92	1.89	2.15	2.21	2.22	2.32							
CarTech® BioDur® Carpenter CCM® Alloy	21.41	22.27	24.94	26.51	27.19	20.78							
CarTech® BioDur® TrimRite® Stainless	0.69	0.66	0.71	0.75	0.74	0.77							
CarTech® Micro-Melt® BioDur® Carpenter CCM® Alloy	21.34	22.18	24.83	26.42	27.09	20.82							
CarTech® Micro-Melt® BioDur® CCM Plus®	20.60	21.36	23.89	25.42	26.07	20.12							
CarTech® Conichrome Alloy	15.72	16.15	18.16	19.27	19.72	18.91							

CORROSION-RESISTANT ALLOYS

CarTech® Alloy 22	12.13	11.88	14.36	16.33	18.60	18.25							
CarTech® Alloy C-276	10.89	10.46	11.94	12.92	13.25	13.46							
CarTech® MP35N* Alloy	26.48	27.39	31.65	33.17	33.98	34.20							
CarTech® Ni-Cu 400	6.90	7.14	8.58	8.28	8.17	8.66							
CarTech® Ni-Cu 405	6.90	7.14	8.58	8.28	8.17	8.66							
CarTech® Custom Age 625 PLUS® / 725	9.41	9.05	10.18	11.01	10.43	10.81							
CarTech® 925	5.50	5.34	6.18	6.17	6.20	6.48							

*MP35N is a trademark of SPS Technologies, Inc.

BEARING AND GEAR STEELS

CarTech® 52100	0.29	0.26	0.29	0.31	0.30	0.30							
CarTech® 52100T2	0.29	0.26	0.29	0.31	0.30	0.30							
CarTech® Aero-A6	0.56	0.53	0.58	0.74	0.82	0.82							
CarTech® BG-42	1.96	1.88	2.04	2.39	2.50	2.55							
CarTech® CBS 223	1.76	1.67	1.78	2.11	2.26	2.26							
CarTech® CBS 600	1.58	1.47	1.57	1.79	1.81	1.79							
CarTech® CBS50Nil	3.32	3.16	3.49	3.91	4.04	4.06							
CarTech® CSS-42L	5.11	5.24	5.91	6.44	6.63	6.65							
CarTech® Dynaflex	0.81	0.76	0.83	0.97	1.00	1.01							
CarTech® L-6490	1.80	1.72	1.89	2.23	2.33	2.36							
CarTech® Lesco® 53	2.22	2.10	2.32	2.58	2.60	2.59							
CarTech® Pyrowear® Alloy 53	2.22	2.10	2.32	2.58	2.60	2.59							
CarTech® M-50	1.80	1.72	1.89	2.23	2.33	2.36							
CarTech® QC61	5.51	5.80	6.72	7.07	7.24	7.24							
CarTech® QC64	5.20	5.45	6.28	6.66	6.83	6.83							

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Dec'25	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-------------------	--------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ALLOY STEELS

CarTech® 300M	0.55	0.52	0.60	0.64	0.64	0.66							
CarTech® 35NCD16	0.58	0.56	0.67	0.68	0.66	0.69							
CarTech® 4130 , 4140, 4150	0.34	0.31	0.34	0.38	0.37	0.37							
CarTech® 4319, 4320, 4343	0.49	0.46	0.54	0.56	0.55	0.57							
CarTech® 4330+V, 4335+V	0.57	0.54	0.62	0.67	0.66	0.68							
CarTech® 4340, 4340 VV	0.49	0.46	0.54	0.56	0.55	0.57							
CarTech® 6150	0.34	0.31	0.34	0.39	0.39	0.39							
CarTech® 8620	0.37	0.34	0.39	0.42	0.41	0.41							
CarTech® 9310, 9315	0.55	0.53	0.63	0.64	0.63	0.65							
CarTech® AerMet® 100 Alloy	5.16	5.35	6.11	6.39	6.52	6.30							
CarTech® AerMet® 310 Alloy	5.73	5.95	6.80	7.13	7.28	7.01							
CarTech® AerMet® 340 Alloy	6.11	6.33	7.23	7.60	7.75	7.47							
CarTech® AF1410	4.55	4.77	5.55	5.82	5.94	5.96							
CarTech® No. 158® Alloy	0.56	0.54	0.64	0.65	0.64	0.67							
CarTech® D6AC	0.65	0.61	0.68	0.76	0.77	0.78							
CarTech® GNB100	0.88	0.84	0.98	1.06	1.08	1.11							
CarTech® HP-9-4-20	2.28	2.33	2.75	2.86	2.91	2.95							
CarTech® HP-9-4-30	2.16	2.21	2.59	2.71	2.74	2.78							
CarTech® HY180	3.19	3.31	3.88	4.04	4.11	4.15							
CarTech® HYTUF	0.60	0.57	0.67	0.70	0.69	0.71							
CarTech® L-6305	0.48	0.44	0.49	0.57	0.58	0.59							
CarTech® NiMark® Alloy 250	5.25	5.29	6.05	6.41	6.52	6.42							
CarTech® NiMark+A273 Alloy 250-LR	5.25	5.29	6.05	6.41	6.52	6.42							
CarTech® NiMark® Alloy 300	5.61	5.67	6.48	6.87	6.99	6.86							
CarTech® Nitralloy 135	0.38	0.39	0.39	0.42	0.42	0.46							
CarTech® Nitralloy N	0.61	0.59	0.70	0.71	0.70	0.73							
CarTech® PremoMax® Alloy	0.50	0.47	0.53	0.60	0.61	0.62							
CarTech® PremoMet® Alloy	0.79	0.77	0.90	0.96	0.97	1.01							
CarTech® QM54	3.80	3.96	4.88	5.87	7.04	6.72							
CarTech® UT-18	0.66	0.62	0.68	0.78	0.79	0.80							

SPECIALTY ALLOYS

CarTech® AEREX	26.63	27.66	32.33	36.80	44.80	46.12							
CarTech® JETHETE	1.41	1.41	1.73	1.70	1.68	1.78							
CarTech® QS53	5.66	5.92	7.07	8.01	9.00	8.78							
CarTech® XM-27	2.74	2.68	2.67	2.85	3.01	3.22							

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Dec'25	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-------------------	--------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

SPECIAL PURPOSE ALLOYS

CarTech® CBX Cupron® Alloy	6.46	6.78	7.96	7.75	7.59	8.03							
CarTech® Evanohm® Alloy R	6.86	6.89	8.19	7.86	7.87	8.41							
CarTech® Manganin 13	5.29	5.72	6.37	6.33	6.10	6.42							
CarTech® NIAL Alloy	7.44	7.62	9.36	8.93	8.93	9.53							
CarTech® NIAL Alloy / Low Resistivity NIAL	7.44	7.62	9.36	8.93	8.93	9.53							

VALVE STEELS

CarTech® 31V (Pyromet® 31V)	6.14	6.05	7.10	6.97	7.00	7.40							
CarTech® 751 (Pyromet® 751)	6.07	6.10	7.37	7.06	7.07	7.55							
CarTech® 80A (Pyromet® 80A) Valve	6.57	6.59	7.91	7.58	7.60	8.12							

HIGH SPEED STEELS (not applicable to powder products)

CarTech® M1 - Tatmo	3.91	3.85	4.65	5.84	6.99	6.75							
CarTech® M2 - Double 6	7.26	7.52	10.16	13.84	18.76	17.45							
CarTech® M2 - Double 6-XL	7.00	7.25	9.79	13.34	18.06	16.80							
CarTech® M4 - Stark	6.37	6.58	8.80	12.05	16.23	15.16							
CarTech® M7 - Tatmo-VN	4.21	4.16	5.04	6.43	7.78	7.50							
CarTech® M11 - Vancomo	3.61	3.53	4.03	4.82	5.34	5.29							
CarTech® M35 - HS 105	7.98	8.31	11.00	14.62	19.38	18.11							
CarTech® M42 - Dynamax	5.89	5.95	7.06	8.48	9.78	9.50							
CarTech® M50 - CM-50	1.80	1.72	1.89	2.23	2.33	2.36							
CarTech® Abscido	4.18	4.29	5.67	7.71	10.27	9.63							
CarTech® Supersaw	4.21	4.29	5.08	6.01	6.85	6.66							

TOOL STEELS (not applicable to powder products)

CarTech® A2 - Select-B	0.69	0.65	0.71	0.80	0.81	0.83							
CarTech® A6 - Lesco A6	0.63	0.59	0.65	0.73	0.72	0.73							
CarTech® A7 - Brickmold	1.39	1.35	1.47	2.00	2.29	2.31							
CarTech® A8 - MGR	1.76	1.78	2.29	3.00	3.89	3.66							
CarTech® A9 - Mazeman	1.05	1.00	1.12	1.30	1.37	1.39							
CarTech® A10 - Graph-Air	0.84	0.79	0.90	0.99	0.99	1.01							
CarTech® A18 - Whitebear	1.15	1.10	1.21	1.51	1.65	1.67							
CarTech® D3 - GSN	0.53	0.50	0.53	0.58	0.59	0.61							
CarTech® D4 - GSN+Mo	0.38	0.35	0.38	0.43	0.41	0.41							
CarTech® D7 - BR-4	1.35	1.31	1.42	1.89	2.15	2.18							
CarTech® H11 - Dycast	0.78	0.73	0.80	0.93	0.96	0.98							
CarTech® H12 - L.P.D.®	1.93	1.96	2.55	3.36	4.40	4.13							
CarTech® H13++ - VDC-RF	0.88	0.83	0.91	1.09	1.14	1.16							

**Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)**



Alloy Description	Dec'25	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech® H13-FM - Viscount	0.90	0.85	0.93	1.11	1.18	1.19							
CarTech® H19 - Lesco19	5.13	5.40	7.23	9.71	13.03	12.14							
CarTech® H21 - CLW	7.81	8.28	11.76	16.41	23.13	21.26							
CarTech® H26 - H26 Mod	15.40	16.39	23.34	32.63	46.09	42.34							
CarTech® H43 - Lesco 43	5.07	5.35	7.19	9.68	13.04	12.13							
CarTech® L6 - Montana	3.85	4.05	5.68	7.81	10.85	10.01							
CarTech® O1 - Badger	0.72	0.72	0.94	1.23	1.59	1.49							
CarTech® O6 - Graph-Mo	0.38	0.35	0.38	0.43	0.41	0.41							
CarTech® O7 - Lesco O7	1.55	1.61	2.22	3.02	4.14	3.82							
CarTech® S1 - XL®-Chisel	2.02	2.10	2.91	3.99	5.50	5.08							
CarTech® S4 - Damascus	0.30	0.27	0.30	0.33	0.32	0.32							
CarTech® S5 - Lanark	0.68	0.64	0.71	0.82	0.83	0.84							
CarTech® S7 - Bearcat	0.75	0.70	0.77	0.86	0.86	0.87							
CarTech® CAT4039	0.99	0.93	1.03	1.20	1.25	1.26							
CarTech® Lescowear	2.10	2.11	2.65	3.54	4.53	4.32							
CarTech® Mandrel	0.56	0.53	0.62	0.65	0.63	0.65							
CarTech® 420-FM - Saxman-FM	0.60	0.57	0.60	0.66	0.67	0.70							
CarTech® 420SS - Saxman6R	0.60	0.57	0.60	0.66	0.67	0.70							

Conversion Services (Natural Gas Surcharges)

Process 1 - Non-Ti Air Cool	0.02	0.04	0.06	0.06	0.12	0.03							
Process 2 - Non Ti Fce Cool	0.04	0.05	0.08	0.09	0.18	0.04							
Process 3 - General Ti	0.02	0.04	0.06	0.06	0.12	0.03							
Process 4 Special Processing	0.04	0.05	0.08	0.09	0.18	0.04							
Process 5 - Machining Only	0.00	0.00	0.00	0.00	0.00	0.00							
Process 6 - Remelt Only	0.00	0.00	0.00	0.00	0.00	0.00							