

Raw Material and Energy Powder Surcharges 2026

USD/LB (applicable at time of shipment)



If an alloy you purchase is not listed, call Carpenter within the U.S. at 800-654-6543. Outside the U.S., call 1-610-208-2000, press 2 for Customer Service.

10/1/2026

Chrome-based (powder products)

Alloy Description	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct
CarTech Micro-Melt® NiCr49Nb1	5.82	5.85	6.72	6.55	6.67	7.04	7.26	6.93	6.65	6.69	6.49

Cobalt-based (powder products)

CarTech Micro-Melt® 21	14.42	15.48	18.05	19.42	20.13	19.14	19.50	19.69	19.61	19.04	17.58
CarTech Micro-Melt® 50Nb	13.37	14.36	16.77	17.96	18.60	17.72	18.03	18.15	18.03	17.49	16.13
CarTech Micro-Melt® 6	11.93	12.94	16.17	19.00	22.68	21.72	20.17	19.59	19.31	18.42	17.02
CarTech Micro-Melt® BioDur® CCM®	20.79	21.71	24.36	25.82	26.48	25.17	15.76	15.94	15.95	15.54	14.46
CarTech Micro-Melt® CCM	14.34	15.39	17.91	19.31	20.01	19.03	19.39	19.60	19.54	18.99	17.54
CarTech Micro-Melt® CCM GADS	9.88	10.56	12.32	13.34	13.97	13.88	15.05	15.22	15.20	14.82	13.76
CarTech Micro-Melt® CCM PLUS®	9.88	10.56	12.32	13.34	13.97	13.88	15.05	15.22	15.20	14.82	13.76
CarTech Micro-Melt® Merl72	20.54	21.90	27.36	34.44	45.86	44.27	40.81	39.98	40.45	39.36	37.70
CarTech Micro-Melt® WearCorr™	14.82	15.87	19.00	21.17	23.23	22.01	21.55	21.33	21.14	20.46	19.02
Micro-Melt Biodur CCM® LS	10.19	10.93	12.77	13.82	14.49	14.38	15.59	15.76	15.73	15.32	14.18
CarTech Micro-Melt® CCM MC	9.45	10.18	12.01	13.07	13.66	13.53	14.77	14.96	14.93	14.53	13.46

Iron-based (powder products)

CarTech Micro-Melt® 654SMO	3.78	3.71	4.22	4.40	4.49	4.67	5.03	4.99	4.95	5.09	5.06
CarTech Micro-Melt® LAW 100X	0.21	0.18	0.21	0.23	0.22	0.22	0.23	0.23	0.23	0.23	0.25
CarTech Micro-Melt® 2507 SDplx	7.38	7.41	8.81	8.64	8.71	9.19	9.67	9.20	8.79	8.92	8.69
Micro-Melt Aermet-for-tooling®	3.84	4.06	4.82	5.07	5.20	5.04	5.18	5.14	5.06	4.94	4.61

Iron/Cobalt-based (powder products)

CarTech Micro-Melt Hiperco® 50	9.61	10.50	12.43	13.54	14.10	13.25	13.26	13.31	13.16	12.60	11.48
--------------------------------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

Nickel-based (powder products)

CarTech Micro-Melt® 230	17.28	18.17	24.58	31.43	41.65	39.09	33.75	31.04	30.16	28.85	27.63
CarTech Micro-Melt® 247LC	17.25	18.14	23.08	29.62	41.33	40.72	37.10	35.85	36.18	35.43	34.76
CarTech Micro-Melt® 247LC Mod 1	17.13	18.02	22.98	29.55	41.31	40.71	37.10	35.86	36.21	35.46	34.80
CarTech Micro-Melt® 600	6.48	6.56	7.98	7.65	7.66	8.13	8.52	7.96	7.47	7.53	7.30
CarTech Micro-Melt® 622	10.85	10.94	13.42	15.12	17.42	17.24	16.79	16.01	15.67	15.67	15.30
CarTech Micro-Melt® 622 AWS	10.94	11.02	13.50	15.20	17.50	17.33	16.88	16.10	15.76	15.76	15.39
CarTech Micro-Melt® 625	8.00	7.87	8.79	9.49	9.09	9.51	10.05	9.74	9.54	9.73	9.59
CarTech Micro-Melt® 625+W	8.73	8.60	9.72	10.43	9.84	10.32	10.90	10.48	10.20	10.39	10.20
CarTech Micro-Melt® 625AM	9.29	9.16	10.39	11.12	10.52	11.04	11.68	11.24	10.93	11.14	10.95
CarTech Micro-Melt® 625Ar	9.29	9.16	10.39	11.12	10.52	11.04	11.68	11.24	10.93	11.14	10.95
CarTech Micro-Melt® 625LF	9.25	9.12	10.35	11.06	10.48	10.99	11.63	11.20	10.89	11.10	10.91
CarTech Micro-Melt® 713C	7.40	7.57	8.93	8.77	8.86	9.44	9.85	9.40	9.01	9.06	9.11
CarTech Micro-Melt® 718	7.19	7.07	7.81	8.67	7.75	8.19	8.52	8.09	7.81	7.90	7.76

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct
CarTech Micro-Melt® C-276	12.08	12.17	15.04	17.22	20.06	19.74	19.12	18.23	17.87	17.86	17.45
CarTech Micro-Melt® HX	7.22	7.20	8.51	8.93	9.47	9.70	10.02	9.68	9.45	9.60	9.42
CarTech Micro-Melt® IN738	11.18	11.64	14.09	16.50	21.29	21.59	20.76	20.34	20.49	20.30	19.95
CarTech Micro-Melt® MAR-M-247	18.03	18.95	24.09	31.09	43.61	42.97	39.15	37.89	38.32	37.54	36.83
CarTech Micro-Melt® L1	11.06	11.10	13.32	15.51	17.09	16.97	16.33	15.41	15.00	14.90	14.53
CarTech Micro-Melt® R95	11.59	11.97	14.52	16.92	18.95	18.62	17.56	16.55	16.06	15.70	15.25
CarTech Micro-Melt® 690	5.91	5.96	7.10	6.83	6.89	7.30	7.60	7.15	6.76	6.81	6.60
CarTech Micro-Melt® 738 LC	11.34	11.78	14.10	16.56	21.03	21.38	20.63	20.20	20.32	20.16	19.82
CarTech Micro-Melt® HX LC	7.67	7.68	9.08	9.52	10.07	10.29	10.63	10.27	10.03	10.16	9.94
CarTech Micro-Melt® R77	9.09	9.53	11.17	11.36	11.62	11.83	12.22	11.90	11.56	11.46	11.13
CarTech Micro-Melt® NiCrAlY	6.20	6.57	7.57	7.27	7.40	8.06	8.10	7.70	7.33	7.21	7.56
Tool Steel (powder products)											
Alloy Description											
CarTech Micro-Melt Custom 470®	1.42	1.40	1.65	1.66	1.65	1.74	1.84	1.78	1.72	1.74	1.72
CarTech Micro-Melt® 15Cr-5Ni	1.30	1.29	1.41	1.41	1.43	1.50	1.54	1.51	1.48	1.50	1.48
CarTech Micro-Melt® 17Cr-4Ni	0.95	0.95	1.07	1.07	1.05	1.11	1.16	1.14	1.11	1.13	1.13
CarTech Micro-Melt® 20-4	1.59	1.59	1.88	2.52	3.11	3.06	2.66	2.45	2.35	2.26	2.21
CarTech Micro-Melt®2205 Duplex	1.67	1.62	1.80	1.91	1.95	2.02	2.18	2.19	2.20	2.26	2.26
CarTech Micro-Melt®2505 SDplx	1.76	1.72	1.91	2.00	2.03	2.12	2.28	2.28	2.28	2.34	2.34
CarTech Micro-Melt® 2205M	1.69	1.65	1.82	1.93	1.97	2.05	2.20	2.21	2.22	2.28	2.28
CarTech Micro-Melt® 23	5.90	6.12	8.28	11.36	15.57	14.52	12.33	11.37	11.13	10.66	10.31
CarTech Micro-Melt® 23S	5.90	6.12	8.28	11.36	15.57	14.52	12.33	11.37	11.13	10.66	10.31
CarTech Micro-Melt® 2906	1.68	1.65	1.84	1.91	1.92	2.01	2.15	2.14	2.12	2.17	2.16
CarTech Micro-Melt® 30	6.88	7.21	9.59	12.80	17.10	16.02	13.83	12.87	12.63	12.08	11.59
CarTech Micro-Melt® 304	1.15	1.14	1.31	1.29	1.29	1.37	1.42	1.37	1.31	1.32	1.31
CarTech Micro-Melt® 304L	1.67	1.65	1.84	1.82	1.86	1.95	2.00	1.93	1.87	1.88	1.84
CarTech Micro-Melt® 316L	1.65	1.62	1.85	1.90	1.92	2.01	2.14	2.11	2.07	2.12	2.11
CarTech Micro-Melt® 316L AWS	1.76	1.73	1.99	2.04	2.05	2.14	2.29	2.24	2.20	2.25	2.23
CarTech Micro-Melt® 316L+S	1.76	1.73	1.99	2.04	2.05	2.14	2.29	2.24	2.20	2.25	2.23
CarTech Micro-Melt® 316LN	2.44	2.40	2.71	2.76	2.81	2.93	3.09	3.02	2.97	3.03	2.99
CarTech Micro-Melt® 316Lx1.5	2.43	2.39	2.76	2.83	2.84	2.97	3.18	3.11	3.05	3.12	3.09
CarTech Micro-Melt® 410	0.29	0.27	0.30	0.33	0.33	0.33	0.33	0.34	0.36	0.37	0.38
CarTech Micro-Melt® 410L	0.71	0.68	0.70	0.72	0.74	0.77	0.77	0.77	0.77	0.77	0.77
CarTech Micro-Melt® 4112	0.71	0.68	0.72	0.79	0.78	0.81	0.87	0.89	0.90	0.92	0.93
CarTech Micro-Melt® 420	0.75	0.72	0.74	0.76	0.78	0.81	0.81	0.81	0.81	0.82	0.81
CarTech Micro-Melt® 420 LCM	0.75	0.72	0.74	0.77	0.79	0.82	0.82	0.82	0.82	0.83	0.82
CarTech Micro-Melt® 420-CW	1.56	1.54	1.69	2.44	2.87	2.95	2.47	2.19	2.00	1.88	1.88
CarTech Micro-Melt® 420LC	0.75	0.72	0.74	0.76	0.78	0.81	0.81	0.81	0.81	0.82	0.81
CarTech Micro-Melt® 422	1.95	1.98	2.50	3.17	4.10	3.88	3.41	3.21	3.16	3.06	2.97

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct
CarTech Micro-Melt® 431	1.01	0.98	1.04	1.05	1.08	1.13	1.14	1.12	1.11	1.12	1.10
CarTech Micro-Melt® 4340	0.35	0.33	0.39	0.41	0.39	0.41	0.43	0.42	0.40	0.40	0.41
CarTech Micro-Melt® 440	1.27	1.25	1.35	1.87	2.17	2.20	1.87	1.68	1.56	1.48	1.50
CarTech Micro-Melt® 440C	1.03	0.99	1.02	1.06	1.10	1.14	1.16	1.16	1.17	1.19	1.17
CarTech Micro-Melt® 440-XH	1.17	1.13	1.18	1.28	1.34	1.38	1.38	1.37	1.37	1.39	1.37
CarTech Micro-Melt® 53	4.56	4.71	6.18	8.67	11.70	11.04	9.26	8.44	8.15	7.75	7.51
CarTech Micro-Melt® 60	8.07	8.42	10.99	14.64	19.26	18.17	15.79	14.71	14.40	13.81	13.27
CarTech Micro-Melt® A11	1.61	1.59	1.75	2.58	3.04	3.10	2.60	2.30	2.10	1.98	1.98
CarTech Micro-Melt® A11HC	2.59	2.53	2.79	3.83	4.38	4.47	4.03	3.73	3.55	3.48	3.48
CarTech Micro-Melt® A11LVC	1.58	1.56	1.71	2.50	2.95	3.01	2.53	2.25	2.06	1.95	1.94
CarTech Micro-Melt® A11-VP	1.74	1.70	1.88	2.72	3.23	3.24	2.72	2.39	2.20	2.09	2.11
CarTech Micro-Melt® Aermet®100	3.97	4.20	4.98	5.25	5.38	5.22	5.36	5.33	5.24	5.13	4.79
CarTech Micro-Melt® AISI8740	0.33	0.30	0.34	0.38	0.37	0.37	0.40	0.40	0.40	0.40	0.41
CarTech Micro-Melt® CD#1	0.83	0.80	0.88	1.03	1.08	1.12	1.12	1.10	1.08	1.09	1.10
CarTech Micro-Melt® D2	0.75	0.73	0.80	0.94	0.99	1.00	0.98	0.96	0.94	0.93	0.94
CarTech Micro-Melt® D7	1.05	1.02	1.11	1.50	1.70	1.75	1.55	1.43	1.35	1.31	1.31
CarTech Micro-Melt® F22	0.59	0.55	0.61	0.67	0.67	0.68	0.73	0.74	0.75	0.77	0.78
CarTech Micro-Melt® H13	0.94	0.91	0.98	1.21	1.33	1.36	1.30	1.25	1.22	1.21	1.21
CarTech Micro-Melt® H163	5.79	6.00	8.07	11.11	15.18	14.19	12.03	11.07	10.82	10.35	10.02
CarTech Micro-Melt® M300	5.18	5.32	6.13	6.43	6.55	6.47	6.78	6.72	6.64	6.64	6.40
CarTech Micro-Melt® M4	5.79	6.00	8.05	11.08	15.12	14.13	12.00	11.05	10.80	10.34	10.00
CarTech Micro-Melt® M4 HCS	6.37	6.60	8.84	12.09	16.34	15.24	12.96	11.94	11.69	11.21	10.85
CarTech Micro-Melt® M42	4.43	4.49	5.41	6.58	7.75	7.51	7.28	7.14	7.15	7.11	6.91
CarTech Micro-Melt® M48	9.40	9.90	13.46	18.22	24.87	23.14	19.68	18.20	17.82	16.98	16.26
CarTech Micro-Melt® M48 LS	9.43	9.94	13.50	18.26	24.91	23.19	19.73	18.24	17.87	17.03	16.31
CarTech Micro-Melt® Maxamet®	10.69	11.41	15.87	21.96	30.63	28.38	23.51	21.44	20.84	19.61	18.68
CarTech Micro-Melt® MV 11K	1.19	1.16	1.25	1.60	1.79	1.86	1.69	1.58	1.51	1.47	1.48
CarTech Micro-Melt® PD#1	1.65	1.66	2.09	2.82	3.64	3.48	3.03	2.81	2.73	2.64	2.58
CarTech Micro-Melt® PD#5	2.62	2.67	3.40	4.62	6.07	5.75	4.88	4.47	4.33	4.15	4.03
CarTech Micro-Melt® SA508	0.40	0.37	0.42	0.46	0.45	0.46	0.49	0.49	0.49	0.50	0.51
CarTech Micro-Melt® 15-5PH	0.92	0.92	1.04	1.04	1.02	1.08	1.13	1.11	1.08	1.10	1.10
CarTech Micro-Melt® T15	9.66	10.28	14.44	20.18	28.44	26.28	21.64	19.67	19.11	17.98	17.17
CarTech Micro-Melt® T15 Plus	9.14	9.69	13.34	18.34	25.38	23.56	19.70	18.04	17.57	16.61	15.87
CarTech Micro-Melt® TD#1	2.33	2.38	3.12	4.15	5.49	5.16	4.52	4.23	4.17	4.04	3.93
CarTech Micro-Melt® TF1	1.42	1.41	1.58	1.83	1.93	1.95	2.01	2.01	2.01	2.02	1.99
CarTech Micro-Melt® VA176	2.27	2.23	2.41	3.31	3.88	3.92	3.35	3.00	2.79	2.67	2.67
CarTech Micro-Melt® X245	1.66	1.64	1.81	2.66	3.15	3.22	2.69	2.38	2.17	2.05	2.04
CarTech Micro-Melt Invar 36®	2.90	2.93	3.62	3.47	3.46	3.66	3.86	3.60	3.36	3.39	3.30
CarTech Micro-Melt® C300	4.44	4.57	5.38	5.67	5.78	5.75	6.06	6.00	5.92	5.92	5.69

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct
CarTech Micro-Melt® 420-CW Mod	2.12	2.09	2.25	3.05	3.57	3.61	3.08	2.77	2.58	2.48	2.47
Micro-Melt Ferrium® C64	9.28	9.65	11.73	11.90	12.20	12.30	12.68	12.19	11.71	11.60	11.01
CarTech Micro-Melt® SA508 Gr4N	0.69	0.67	0.77	0.80	0.80	0.83	0.88	0.85	0.84	0.85	0.85
CarTech Micro-Melt® MS-1(N)	4.51	4.63	5.45	5.74	5.85	5.82	6.13	6.08	5.99	6.00	5.76

Unless otherwise noted, trademarks reg. U.S. Pat. & Tm. Off. to CRS Holdings, Inc., a subsidiary of Carpenter Technology Corporation.

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Nov	Dec

--	--

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026

USD/LB (applicable at time of shipment)

[illegible]

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026

USD/LB (applicable at time of shipment)

[illegible]

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Nov	Dec

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.