

Raw Material and Energy Surcharges 2026 - USD/lb.

(Applicable at Time of Shipment)



If an alloy you purchase is not listed, call Carpenter within the U.S. at 800-654-6543 Outside the U.S., call 1-610-208-2000, press 2 for Customer Service.

9/1/2026 Last Updated

Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
STAINLESS STEELS												
CarTech® 15-15HS® Stainless/SCF260	1.29	1.41	1.49	1.50	1.56	1.67	1.68	1.68	1.71			
CarTech® 15-15LC® Modified Stainless	1.10	1.19	1.27	1.28	1.32	1.43	1.44	1.46	1.49			
CarTech® 20Cb-3® Stainless	3.89	4.62	4.57	4.56	4.81	5.11	4.90	4.71	4.79			
CarTech® 20Mo-6® Stainless	4.63	5.43	5.50	5.52	5.79	6.19	6.01	5.85	5.98			
CarTech® 302HQ-FM® Stainless	1.18	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® 316L-SCQ® Stainless	2.08	2.40	2.45	2.46	2.57	2.74	2.68	2.62	2.68			
CarTech® 13-8 Stainless	1.62	1.81	1.88	1.90	2.00	2.10	2.08	2.06	2.09			
CarTech® 15Cr-5Ni	1.01	1.14	1.13	1.11	1.18	1.23	1.20	1.17	1.19			
CarTech® 18Cr-2Ni-12Mn	0.65	0.70	0.71	0.70	0.74	0.76	0.76	0.75	0.75			
CarTech® 18Cr-3Ni-12Mn	0.79	0.87	0.87	0.86	0.91	0.95	0.93	0.90	0.90			
CarTech® 21Cr-6Ni-9Mn	1.07	1.22	1.20	1.19	1.27	1.32	1.27	1.23	1.23			
CarTech® 22Cr-13Ni-5Mn	2.04	2.34	2.39	2.39	2.51	2.67	2.61	2.55	2.60			
CarTech® 302HQ-SFQ Stainless	1.18	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® Custom 631 (17Cr-7Ni)	1.06	1.18	1.17	1.17	1.26	1.27	1.24	1.20	1.19			
CarTech® 15-7PH Stainless	1.59	1.77	1.83	1.85	1.95	2.05	2.04	2.02	2.04			
CarTech® Custom 630 (17Cr-4Ni) Stainless	0.99	1.11	1.11	1.09	1.15	1.20	1.18	1.15	1.17			
CarTech® No. 5-F Stainless (Type 416 Mod)	0.43	0.45	0.47	0.46	0.48	0.50	0.50	0.50	0.50			
CarTech® 302 Stainless	1.18	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® 303 Stainless	1.19	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® 303 Se Stainless	1.18	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® 304/304L Stainless	1.18	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® 305 Stainless	1.39	1.63	1.59	1.58	1.68	1.75	1.67	1.59	1.60			
CarTech® 309 Stainless	1.59	1.87	1.82	1.81	1.92	2.01	1.91	1.83	1.84			
CarTech® 310 Stainless	2.08	2.46	2.39	2.38	2.53	2.64	2.51	2.38	2.39			
CarTech® 316/316L Stainless	1.82	2.08	2.14	2.14	2.24	2.39	2.34	2.30	2.35			
CarTech® 316L Stainless	1.82	2.08	2.14	2.14	2.24	2.39	2.34	2.30	2.35			
CarTech® 321 Stainless	1.33	1.56	1.53	1.52	1.61	1.68	1.60	1.53	1.54			
CarTech® 347 Stainless	1.34	1.56	1.53	1.52	1.61	1.68	1.60	1.53	1.54			
CarTech® 403 Stainless	0.42	0.44	0.47	0.45	0.47	0.49	0.49	0.49	0.49			
CarTech® 410 Stainless	0.42	0.44	0.47	0.45	0.47	0.49	0.49	0.49	0.49			
CarTech® 416 Stainless	0.43	0.45	0.47	0.46	0.48	0.50	0.50	0.50	0.50			
CarTech® 416 (No. 5) Stainless	0.43	0.45	0.47	0.46	0.48	0.50	0.50	0.50	0.50			
CarTech® 416 RS Stainless	0.43	0.45	0.47	0.46	0.48	0.50	0.50	0.50	0.50			
CarTech® 416BQ Stainless (No. 5BQ)	0.43	0.45	0.47	0.46	0.48	0.50	0.50	0.50	0.50			

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
CarTech® 420 Stainless	0.44	0.46	0.48	0.47	0.49	0.50	0.51	0.51	0.51			
CarTech® 420 Mod Stainless	0.44	0.46	0.48	0.47	0.49	0.50	0.51	0.51	0.51			
CarTech® 420F Stainless	0.44	0.46	0.48	0.47	0.49	0.50	0.51	0.51	0.51			
CarTech® 430 Stainless	0.48	0.50	0.53	0.51	0.54	0.55	0.56	0.56	0.56			
CarTech® 430F Stainless	0.48	0.50	0.53	0.51	0.54	0.55	0.56	0.56	0.56			
CarTech® 430FR Stainless	0.48	0.50	0.53	0.51	0.54	0.55	0.56	0.56	0.56			
CarTech® 431 Stainless	0.64	0.70	0.71	0.70	0.74	0.76	0.75	0.74	0.74			
CarTech® 434 Stainless	0.74	0.78	0.84	0.84	0.87	0.92	0.94	0.95	0.97			
CarTech® 440A Stainless	0.48	0.50	0.52	0.51	0.54	0.55	0.56	0.56	0.56			
CarTech® 440C Stainless	0.48	0.50	0.52	0.51	0.54	0.55	0.56	0.56	0.56			
CarTech® 440F-Se Stainless	0.48	0.50	0.52	0.51	0.54	0.55	0.56	0.56	0.56			
CarTech® 446 Stainless	0.58	0.60	0.62	0.61	0.64	0.66	0.66	0.66	0.66			
CarTech® 204-Cu Stainless	1.25	1.37	1.75	1.99	2.01	1.80	1.67	1.60	1.55			
CarTech® Consumet® 304L-SCQ	1.18	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® Custom 450® Stainless	1.55	1.75	1.83	1.83	1.90	2.04	2.02	2.00	2.05			
CarTech® Custom 455® Stainless	1.23	1.41	1.40	1.38	1.45	1.51	1.45	1.40	1.41			
CarTech® Custom 465® Stainless	1.84	2.08	2.09	2.08	2.18	2.28	2.21	2.17	2.20			
CarTech® Custom 475™ Stainless	4.35	4.92	5.25	5.37	5.34	5.56	5.59	5.60	5.58			
CarTech® Custom Flo 302HQ Stainless	1.18	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® EnduraMet® 2205 Stainless	1.61	1.81	1.91	1.92	2.00	2.15	2.15	2.15	2.21			
CarTech® Gall-Tough® PLUS Stainless	1.14	1.32	1.30	1.29	1.36	1.42	1.37	1.31	1.32			
CarTech® Gall-Tough® Stainless	0.87	0.99	0.99	0.98	1.03	1.07	1.04	1.01	1.01			
CarTech® 15Cr-5Ni Project 70+® Stainless	1.01	1.14	1.13	1.11	1.18	1.23	1.20	1.17	1.19			
CarTech® Custom 630 Project 70+® Stainless	0.99	1.11	1.11	1.09	1.15	1.20	1.18	1.15	1.17			
CarTech® 303 Project 70+® Escomatic Quality	1.19	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® 303 Project 70+® Stainless	1.19	1.37	1.35	1.34	1.42	1.48	1.42	1.36	1.37			
CarTech® 304/304L Project 70+® Stainless	1.22	1.41	1.39	1.37	1.46	1.52	1.46	1.40	1.40			
CarTech® 316/316L Project 70+® Stainless	1.82	2.08	2.14	2.14	2.24	2.39	2.34	2.30	2.35			
CarTech® 416 Project 70+® Stainless	0.43	0.45	0.47	0.46	0.48	0.50	0.50	0.50	0.50			
CarTech® Pyrowear® 675 Stainless	2.24	2.57	2.79	2.88	2.83	2.90	2.89	2.87	2.84			
CarTech® SCF 19 Max® Alloy	3.03	3.49	3.60	3.62	3.78	4.06	3.99	3.93	4.03			
CarTech® 410 Mod Stainless	0.42	0.45	0.47	0.46	0.48	0.49	0.49	0.49	0.49			
CarTech® TrimRite® Stainless	0.66	0.71	0.75	0.74	0.77	0.82	0.82	0.83	0.84			
CarTech® 409Cb Stainless	0.43	0.46	0.48	0.47	0.49	0.51	0.51	0.51	0.51			
CarTech® 409Cb High Nickel Stainless	0.43	0.46	0.48	0.47	0.49	0.51	0.51	0.51	0.51			
CarTech® 2507 Super Duplex Stainless	1.91	2.13	2.24	2.26	2.35	2.53	2.52	2.52	2.59			
CarTech® Ni-Cu K500	7.05	8.38	8.09	8.02	8.57	8.96	8.55	8.12	8.23			
CarTech® 330 Stainless	3.19	3.87	3.72	3.70	3.94	4.13	3.88	3.65	3.67			
CarTech® 317 Stainless	2.30	2.65	2.72	2.73	2.85	3.05	3.00	2.95	3.01			

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
CarTech® A-21®	0.75	0.84	0.87	0.87	0.87	0.87	0.87	0.87	0.87			
CarTech® A-421®	0.80	0.89	0.93	0.92	0.96	1.02	1.00	0.99	1.01			

AEROSPACE AND HIGH TEMPERATURE ALLOYS

CarTech® A-286 Alloy	3.24	3.74	3.74	3.77	3.95	4.12	3.94	3.80	3.90			
CarTech® Alloy 2 (159 ALY / MP159)	25.70	29.54	31.05	31.90	31.99	32.77	32.49	32.06	31.96			
CarTech® AMS 5700 Valve Steel	3.70	4.75	5.77	7.27	6.96	6.20	5.75	5.60	5.43			
CarTech® Greek Ascology (418 SS)	3.08	4.25	5.74	7.90	7.33	6.13	5.61	5.48	5.20			
CarTech® L-605 Alloy	29.02	36.73	45.06	56.38	52.35	46.46	43.97	43.22	41.26			
CarTech® Waspaloy	10.64	12.27	12.52	12.71	12.79	13.24	12.94	12.62	12.78			
CarTech® 350 (Pyromet® 350)	1.48	1.65	1.76	1.76	1.83	1.97	1.98	1.98	2.04			
CarTech® 355 (Pyromet® 355)	1.49	1.66	1.77	1.77	1.84	1.98	1.99	1.99	2.05			
CarTech® 41 (Pyromet® 41)	11.49	13.09	13.64	13.86	13.93	14.56	14.38	14.15	14.71			
CarTech® 600 (Pyromet® 600)	6.16	7.53	7.20	7.18	7.65	8.02	7.49	7.04	7.09			
CarTech® 625 (Pyromet® 625)	9.46	10.61	11.54	10.91	11.29	11.91	11.57	11.32	11.96			
CarTech® 680 (Pyromet® 680)	7.91	9.06	9.45	9.56	9.77	10.30	10.10	9.92	10.53			
CarTech® 706 (Pyromet® 706)	4.75	5.33	5.71	5.16	5.48	5.68	5.33	5.11	5.13			
CarTech® 718 (Pyromet® 718)	7.22	7.95	8.86	7.92	8.32	8.65	8.25	8.00	8.23			
CarTech® 720 (Pyromet® 720)	11.49	13.53	14.36	15.48	15.32	15.18	14.66	14.28	14.20			
CarTech® 80A (Pyromet® 80A)	6.59	7.91	7.58	7.60	8.12	8.46	7.93	7.49	7.51			
CarTech® 825 (Pyromet® 825)	5.11	6.12	6.02	6.02	6.35	6.73	6.42	6.14	6.23			
CarTech® 882 (Pyromet® 882)	0.69	0.75	0.86	0.88	0.89	0.93	0.93	0.93	0.95			
CarTech® 901 (Pyromet® 901)	5.77	6.67	6.84	6.90	7.13	7.56	7.36	7.18	7.61			
CarTech® CTX-1 (Pyromet® CTX-1)	8.32	9.42	10.12	9.70	9.67	9.87	9.58	9.32	9.16			
CarTech® CTX-3 (Pyromet® CTX-3)	8.42	9.38	10.44	9.63	9.61	9.82	9.50	9.25	9.11			
CarTech® CTX-909 (Pyromet® CTX-909)	8.40	9.36	10.40	9.61	9.59	9.79	9.48	9.23	9.09			
CarTech® X-750 (Pyromet® X-750)	6.39	7.64	7.48	7.33	7.82	8.16	7.63	7.20	7.23			
CarTech® C-263	12.55	14.43	15.00	15.36	15.20	15.66	15.41	15.13	15.33			
CarTech® Thermo-Span® Alloy	12.49	13.68	15.37	14.42	14.05	14.19	13.99	13.82	13.50			

MAGNETIC, CONTROLLED EXPANSION AND ELECTRICAL ALLOYS

CarTech® 22-3 High Thermal Expansion	1.97	2.41	2.33	2.31	2.45	2.57	2.41	2.27	2.28			
CarTech® Electrical Iron	0.25	0.28	0.31	0.29	0.29	0.31	0.31	0.31	0.31			
CarTech® Glass Sealing 42	3.39	4.17	4.00	3.99	4.22	4.44	4.14	3.88	3.91			
CarTech® Glass Sealing 52	4.04	5.00	4.79	4.77	5.06	5.33	4.96	4.63	4.67			
CarTech® High Permeability "49"® Alloy	3.85	4.77	4.56	4.54	4.82	5.08	4.73	4.42	4.45			
CarTech® HyMu "80"® Alloy	7.28	8.89	8.99	9.00	9.49	10.09	9.56	9.10	9.25			
CarTech® HyMu "80"® Mark II Alloy	7.28	8.89	8.69	8.69	9.17	9.75	9.21	8.74	8.87			
CarTech® HyMu "800"	7.54	9.16	8.99	9.00	9.49	10.09	9.56	9.10	9.25			

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
CarTech® Super Invar 32-5	3.84	4.67	4.65	4.68	4.77	4.96	4.74	4.52	4.48			
CarTech® Invar 36 Alloy	3.00	3.70	3.55	3.53	3.74	3.94	3.68	3.44	3.47			
CarTech® Low Expansion "42"® Alloy / Thermostat	3.39	4.17	4.00	3.99	4.22	4.44	4.14	3.88	3.91			
CarTech® Low Expansion 43-PH	3.59	4.39	4.22	4.20	4.47	4.68	4.38	4.11	4.13			
CarTech® Nickel 200 Alloy	7.79	9.68	9.23	9.20	9.77	10.29	9.56	8.92	8.99			
CarTech® Nickel 201 Alloy, Nickel 205 Alloy	7.74	9.61	9.16	9.14	9.71	10.23	9.50	8.86	8.93			
CarTech® Silicon Core Iron "A-FM"	0.18	0.21	0.24	0.22	0.22	0.24	0.24	0.24	0.24			
CarTech® Silicon Core Iron "B"	0.25	0.28	0.31	0.29	0.29	0.31	0.31	0.31	0.31			
CarTech® Silicon Core Iron "B-FM"	0.25	0.28	0.31	0.29	0.29	0.31	0.31	0.31	0.31			
CarTech® Temperature Compensator "30"® Type 2	2.47	3.06	2.94	2.92	3.10	3.26	3.04	2.85	2.87			
CarTech® Temperature Compensator "30"® Type 4	2.47	3.06	2.94	2.92	3.10	3.26	3.04	2.85	2.87			
CarTech® Temperature Compensator "32"	2.66	3.30	3.17	3.15	3.34	3.51	3.28	3.07	3.09			
CarTech® Chrome Core® 8-FM Alloy	0.44	0.48	0.51	0.50	0.52	0.54	0.55	0.55	0.56			
CarTech® Chrome Core® 12-FM Alloy	0.50	0.53	0.56	0.55	0.58	0.60	0.61	0.61	0.62			
CarTech® Chrome Core® 13-FM	0.51	0.54	0.58	0.57	0.59	0.62	0.62	0.63	0.63			
CarTech® Chrome Core® 13-XP	0.70	0.75	0.86	0.90	0.92	0.91	0.90	0.89	0.89			
CarTech® Chrome Core® 18-FM Alloy	0.92	0.98	1.06	1.07	1.10	1.18	1.20	1.22	1.25			
CarTech® Free-Cut Invar "36"® Alloy	3.00	3.70	3.55	3.53	3.74	3.94	3.68	3.44	3.47			
CarTech® Hiperco® 27 Alloy	8.15	9.22	9.75	10.01	9.42	9.50	9.57	9.51	9.22			
CarTech® Hiperco® 50 Alloy	14.68	16.61	17.72	18.29	17.23	17.24	17.29	17.15	16.59			
CarTech® Hiperco® 50 HS Alloy	14.49	16.41	17.51	18.07	17.03	17.04	17.09	16.94	16.39			
CarTech® Hiperco® 50A Alloy	14.68	16.61	17.72	18.29	17.23	17.24	17.29	17.15	16.59			
CarTech® Hy Mu 77 Alloy	6.35	7.83	7.49	7.45	7.92	8.34	7.79	7.29	7.36			
CarTech® Hy-Ra "49"® Alloy	3.85	4.77	4.56	4.54	4.82	5.08	4.73	4.42	4.45			
CarTech® Kovar® Alloy	5.98	7.20	7.41	7.56	7.43	7.63	7.46	7.24	7.07			
CarTech® MagneDur® 20-4 Alloy	2.72	3.21	3.29	3.30	3.43	3.70	3.59	3.51	3.60			
CarTech® No. 1 JR® Type 1 Alloy	0.88	0.67	0.69	0.77	0.99	0.75	0.84	0.89	0.74			
CarTech® No. 1 JR® Type 2 Alloy	0.62	0.54	0.57	0.59	0.70	0.61	0.64	0.67	0.60			
CarTech® Rotelloy 3 Alloy	14.77	16.71	17.82	18.39	17.33	17.35	17.40	17.25	16.69			
CarTech® Rotelloy 8 Alloy	14.70	16.64	17.75	18.32	17.26	17.28	17.33	17.18	16.62			
CarTech® Mumetal	7.28	8.85	8.66	8.65	9.12	9.70	9.19	8.74	8.89			
CarTech® Hypocore	1.29	1.51	1.63	1.67	1.58	1.60	1.62	1.60	1.55			
CarTech® High Expansion 25-8	2.26	2.75	2.65	2.64	2.79	2.93	2.75	2.59	2.61			
CarTech® Low Expansion 50	4.09	5.05	4.83	4.81	5.10	5.37	5.00	4.68	4.71			
CarTech® Low Expansion 40	3.31	4.08	3.91	3.89	4.12	4.34	4.05	3.79	3.82			
CarTech® Low Expansion 45	3.63	4.49	4.30	4.28	4.54	4.79	4.46	4.16	4.19			
CarTech® High Expansion 19-7	1.79	2.16	2.09	2.08	2.20	2.31	2.17	2.05	2.06			
CarTech® High Expansion 19-2	1.76	2.15	2.08	2.07	2.18	2.30	2.15	2.03	2.04			
CarTech® Low Expansion 38-7	3.23	3.95	3.80	3.78	4.01	4.22	3.94	3.70	3.72			

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description

CarTech® High Expansion 72

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
2.56	2.91	2.93	2.92	3.04	3.15	3.13	3.18	3.27			

MEDICAL ALLOYS

CarTech® BioDur® 108 Alloy	0.81	0.85	0.90	0.90	0.94	1.00	1.02	1.03	1.04			
CarTech® BioDur® 22Cr-13Ni-5Mn Stainless	2.04	2.34	2.39	2.39	2.51	2.67	2.61	2.55	2.60			
CarTech® BioDur® 316LS Stainless	2.25	2.60	2.66	2.66	2.79	2.98	2.91	2.86	2.92			
CarTech® BioDur® 470/Custom 470	1.47	1.72	1.73	1.72	1.81	1.91	1.84	1.78	1.81			
CarTech® BioDur® 734 Alloy	1.89	2.15	2.21	2.22	2.32	2.48	2.44	2.41	2.46			
CarTech® BioDur® Carpenter CCM® Alloy	22.27	24.94	26.51	27.19	25.78	21.11	21.33	21.33	21.15			
CarTech® BioDur® TrimRite® Stainless	0.66	0.71	0.75	0.74	0.77	0.82	0.82	0.83	0.84			
CarTech® Micro-Melt® BioDur® Carpenter CCM® Alloy	22.18	24.83	26.42	27.09	25.70	21.17	21.40	21.40	21.26			
CarTech® Micro-Melt® BioDur® CCM Plus®	21.36	23.89	25.42	26.07	24.75	20.48	20.70	20.72	20.62			
CarTech® Conichrome Alloy	16.15	18.16	19.27	19.72	18.91	19.36	19.48	19.40	19.46			

CORROSION-RESISTANT ALLOYS

CarTech® Alloy 22	11.88	14.36	16.33	18.60	18.25	17.81	17.11	16.80	17.44			
CarTech® Alloy C-276	10.46	11.94	12.92	13.25	13.46	14.10	13.84	13.59	14.66			
CarTech® MP35N* Alloy	27.39	31.65	33.17	33.98	34.20	35.23	34.76	34.22	34.45			
CarTech® Ni-Cu 400	7.14	8.58	8.28	8.17	8.66	9.16	8.71	8.26	8.43			
CarTech® Ni-Cu 405	7.14	8.58	8.28	8.17	8.66	9.16	8.71	8.26	8.43			
CarTech® Custom Age 625 PLUS® / 725	9.05	10.18	11.01	10.43	10.81	11.39	11.03	10.77	11.35			
CarTech® 925	5.34	6.18	6.17	6.20	6.48	6.82	6.57	6.36	6.60			

*MP35N is a trademark of SPS Technologies, Inc.

BEARING AND GEAR STEELS

CarTech® 52100	0.26	0.29	0.31	0.30	0.30	0.32	0.32	0.32	0.32			
CarTech® 52100T2	0.26	0.29	0.31	0.30	0.30	0.32	0.32	0.32	0.32			
CarTech® Aero-A6	0.53	0.58	0.74	0.82	0.82	0.74	0.69	0.65	0.64			
CarTech® BG-42	1.88	2.04	2.39	2.50	2.55	2.67	2.67	2.70	2.77			
CarTech® CBS 223	1.67	1.78	2.11	2.26	2.26	2.24	2.17	2.16	2.31			
CarTech® CBS 600	1.47	1.57	1.79	1.81	1.79	1.92	1.92	1.95	2.17			
CarTech® CBS50Nil	3.16	3.49	3.91	4.04	4.06	4.24	4.13	4.12	4.50			
CarTech® CSS-42L	5.24	5.91	6.44	6.63	6.65	6.89	6.95	6.96	6.94			
CarTech® Dynaflex	0.76	0.83	0.97	1.00	1.01	1.05	1.05	1.05	1.07			
CarTech® L-6490	1.72	1.89	2.23	2.33	2.36	2.50	2.52	2.55	2.64			
CarTech® Lesco® 53	2.10	2.32	2.58	2.60	2.59	2.78	2.75	2.76	3.05			
CarTech® Pyrowear® Alloy 53	2.10	2.32	2.58	2.60	2.59	2.78	2.75	2.76	3.05			
CarTech® M-50	1.72	1.89	2.23	2.33	2.36	2.50	2.52	2.55	2.64			
CarTech® QC61	5.80	6.72	7.07	7.24	7.24	7.40	7.38	7.28	7.12			

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
CarTech® QC64	5.45	6.28	6.66	6.83	6.83	6.99	6.99	6.92	6.78			

ALLOY STEELS

CarTech® 300M	0.52	0.60	0.64	0.64	0.66	0.70	0.68	0.67	0.68			
CarTech® 35NCD16	0.56	0.67	0.68	0.66	0.69	0.73	0.70	0.67	0.67			
CarTech® 4130 , 4140, 4150	0.31	0.34	0.38	0.37	0.37	0.39	0.40	0.40	0.41			
CarTech® 4319, 4320, 4343	0.46	0.54	0.56	0.55	0.57	0.61	0.60	0.59	0.59			
CarTech® 4330+V, 4335+V	0.54	0.62	0.67	0.66	0.68	0.72	0.71	0.70	0.71			
CarTech® 4340, 4340 VV	0.46	0.54	0.56	0.55	0.57	0.60	0.59	0.58	0.59			
CarTech® 6150	0.31	0.34	0.39	0.39	0.39	0.39	0.38	0.38	0.37			
CarTech® 8620	0.34	0.39	0.42	0.41	0.41	0.44	0.44	0.44	0.44			
CarTech® 9310, 9315	0.53	0.63	0.64	0.63	0.65	0.69	0.67	0.64	0.65			
CarTech® AerMet® 100 Alloy	5.35	6.11	6.39	6.52	6.30	6.44	6.41	6.33	6.28			
CarTech® AerMet® 310 Alloy	5.95	6.80	7.13	7.28	7.01	7.16	7.14	7.06	7.00			
CarTech® AerMet® 340 Alloy	6.33	7.23	7.60	7.75	7.47	7.65	7.63	7.55	7.51			
CarTech® AF1410	4.77	5.55	5.82	5.94	5.96	6.12	6.08	5.99	5.87			
CarTech® No. 158® Alloy	0.54	0.64	0.65	0.64	0.67	0.70	0.67	0.64	0.64			
CarTech® D6AC	0.61	0.68	0.76	0.77	0.78	0.83	0.84	0.85	0.87			
CarTech® GNB100	0.84	0.98	1.06	1.08	1.11	1.17	1.13	1.11	1.13			
CarTech® HP-9-4-20	2.33	2.75	2.86	2.91	2.95	3.07	3.02	2.95	2.93			
CarTech® HP-9-4-30	2.21	2.59	2.71	2.74	2.78	2.90	2.86	2.81	2.79			
CarTech® HY180	3.31	3.88	4.04	4.11	4.15	4.29	4.24	4.16	4.11			
CarTech® HYTUF	0.57	0.67	0.70	0.69	0.71	0.76	0.75	0.73	0.74			
CarTech® L-6305	0.44	0.49	0.57	0.58	0.59	0.60	0.59	0.59	0.60			
CarTech® NiMark® Alloy 250	5.29	6.05	6.41	6.52	6.42	6.72	6.69	6.61	6.86			
CarTech® NiMark+A273 Alloy 250-LR	5.29	6.05	6.41	6.52	6.42	6.72	6.69	6.61	6.86			
CarTech® NiMark® Alloy 300	5.67	6.48	6.87	6.99	6.86	7.17	7.14	7.06	7.30			
CarTech® Nitralloy 135	0.39	0.39	0.42	0.42	0.46	0.44	0.46	0.47	0.45			
CarTech® Nitralloy N	0.59	0.70	0.71	0.70	0.73	0.77	0.75	0.73	0.74			
CarTech® PremoMax® Alloy	0.47	0.53	0.60	0.61	0.62	0.63	0.61	0.59	0.59			
CarTech® PremoMet® Alloy	0.77	0.90	0.96	0.97	1.01	1.04	1.01	0.98	0.99			
CarTech® QM54	3.96	4.88	5.87	7.04	6.72	6.24	6.02	5.96	5.79			
CarTech® UT-18	0.62	0.68	0.78	0.79	0.80	0.85	0.85	0.86	0.88			

SPECIALTY ALLOYS

CarTech® AEREX	27.66	32.33	36.80	44.80	46.12	45.83	45.65	46.17	46.06			
CarTech® JETHETE	1.41	1.73	1.70	1.68	1.78	1.89	1.79	1.70	1.73			
CarTech® QS53	5.92	7.07	8.01	9.00	8.78	8.46	8.27	8.18	7.96			
CarTech® XM-27	2.68	2.67	2.85	3.01	3.22	3.18	3.19	3.22	3.33			

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----

SPECIAL PURPOSE ALLOYS

CarTech® CBX Cupron® Alloy	6.78	7.96	7.75	7.59	8.03	8.52	8.25	7.92	8.16			
CarTech® Evanohm® Alloy R	6.89	8.19	7.86	7.87	8.41	8.70	8.19	7.77	7.77			
CarTech® Manganin 13	5.72	6.37	6.33	6.10	6.42	6.87	6.92	6.82	7.16			
CarTech® NIAL Alloy	7.62	9.36	8.93	8.93	9.53	9.96	9.28	8.68	8.71			
CarTech® NIAL Alloy / Low Resistivity NIAL	7.62	9.36	8.93	8.93	9.53	9.96	9.28	8.68	8.71			

VALVE STEELS

CarTech® 31V (Pyromet® 31V)	6.05	7.10	6.97	7.00	7.40	7.73	7.36	7.06	7.21			
CarTech® 751 (Pyromet® 751)	6.10	7.37	7.06	7.07	7.55	7.88	7.38	6.95	6.98			
CarTech® 80A (Pyromet® 80A) Valve	6.59	7.91	7.58	7.60	8.12	8.46	7.93	7.49	7.51			

HIGH SPEED STEELS (not applicable to powder products)

CarTech® M1 - Tatmo	3.85	4.65	5.84	6.99	6.75	6.48	6.30	6.33	6.35			
CarTech® M2 - Double 6	7.52	10.16	13.84	18.76	17.45	14.88	13.75	13.50	12.95			
CarTech® M2 - Double 6-XL	7.25	9.79	13.34	18.06	16.80	14.33	13.25	13.01	12.49			
CarTech® M4 - Stark	6.58	8.80	12.05	16.23	15.16	12.89	11.87	11.61	11.12			
CarTech® M7 - Tatmo-VN	4.16	5.04	6.43	7.78	7.50	7.08	6.83	6.83	6.82			
CarTech® M11 - Vancomo	3.53	4.03	4.82	5.34	5.29	5.37	5.34	5.39	5.49			
CarTech® M35 - HS 105	8.31	11.00	14.62	19.38	18.11	15.64	14.57	14.32	13.75			
CarTech® M42 - Dynamax	5.95	7.06	8.48	9.78	9.50	9.23	9.07	9.08	9.05			
CarTech® M50 - CM-50	1.72	1.89	2.23	2.33	2.36	2.50	2.52	2.55	2.64			
CarTech® Abscido	4.29	5.67	7.71	10.27	9.63	8.25	7.62	7.46	7.17			
CarTech® Supersaw	4.29	5.08	6.01	6.85	6.66	6.45	6.33	6.31	6.24			

TOOL STEELS (not applicable to powder products)

CarTech® A2 - Select-B	0.65	0.71	0.80	0.81	0.83	0.87	0.87	0.88	0.90			
CarTech® A6 - Lesco A6	0.59	0.65	0.73	0.72	0.73	0.80	0.81	0.83	0.85			
CarTech® A7 - Brickmold	1.35	1.47	2.00	2.29	2.31	2.04	1.87	1.76	1.71			
CarTech® A8 - MGR	1.78	2.29	3.00	3.89	3.66	3.22	3.03	2.99	2.90			
CarTech® A9 - Mazeman	1.00	1.12	1.30	1.37	1.39	1.41	1.38	1.36	1.38			
CarTech® A10 - Graph-Air	0.79	0.90	0.99	0.99	1.01	1.10	1.10	1.11	1.14			
CarTech® A18 - Whitebear	1.10	1.21	1.51	1.65	1.67	1.60	1.53	1.49	1.49			
CarTech® D3 - GSN	0.50	0.53	0.58	0.59	0.61	0.60	0.60	0.59	0.59			
CarTech® D4 - GSN+Mo	0.35	0.38	0.43	0.41	0.41	0.44	0.44	0.45	0.45			
CarTech® D7 - BR-4	1.31	1.42	1.89	2.15	2.18	1.94	1.79	1.70	1.65			
CarTech® H11 - Dycast	0.73	0.80	0.93	0.96	0.98	1.01	1.00	1.01	1.02			
CarTech® H12 - L.P.D.®	1.96	2.55	3.36	4.40	4.13	3.61	3.38	3.34	3.23			

Raw Material and Energy Surcharges 2026 - USD/lb.
(Applicable at Time of Shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
CarTech® H13++ - VDC-RF	0.83	0.91	1.09	1.14	1.16	1.17	1.15	1.14	1.16			
CarTech® H13-FM - Viscount	0.85	0.93	1.11	1.18	1.19	1.19	1.17	1.16	1.18			
CarTech® H19 - Lesco19	5.40	7.23	9.71	13.03	12.14	10.25	9.44	9.20	8.72			
CarTech® H21 - CLW	8.28	11.76	16.41	23.13	21.26	17.47	15.89	15.50	14.62			
CarTech® H26 - H26 Mod	16.39	23.34	32.63	46.09	42.34	34.76	31.58	30.80	29.03			
CarTech® H43 - Lesco 43	5.35	7.19	9.68	13.04	12.13	10.20	9.38	9.13	8.64			
CarTech® L6 - Montana	4.05	5.68	7.81	10.85	10.01	8.32	7.60	7.43	7.03			
CarTech® O1 - Badger	0.72	0.94	1.23	1.59	1.49	1.29	1.20	1.18	1.13			
CarTech® O6 - Graph-Mo	0.35	0.38	0.43	0.41	0.41	0.44	0.44	0.45	0.45			
CarTech® O7 - Lesco O7	1.61	2.22	3.02	4.14	3.82	3.20	2.94	2.87	2.73			
CarTech® S1 - XL®-Chisel	2.10	2.91	3.99	5.50	5.08	4.23	3.87	3.78	3.58			
CarTech® S4 - Damascus	0.27	0.30	0.33	0.32	0.32	0.33	0.33	0.33	0.33			
CarTech® S5 - Lanark	0.64	0.71	0.82	0.83	0.84	0.89	0.89	0.90	0.93			
CarTech® S7 - Bearcat	0.70	0.77	0.86	0.86	0.87	0.95	0.97	0.99	1.02			
CarTech® CAT4039	0.93	1.03	1.20	1.25	1.26	1.33	1.34	1.35	1.39			
CarTech® Lescowear	2.11	2.65	3.54	4.53	4.32	3.76	3.48	3.39	3.28			
CarTech® Mandrel	0.53	0.62	0.65	0.63	0.65	0.69	0.67	0.65	0.66			
CarTech® 420-FM - Saxman-FM	0.57	0.60	0.66	0.67	0.70	0.69	0.69	0.68	0.68			
CarTech® 420SS - Saxman6R	0.57	0.60	0.66	0.67	0.70	0.69	0.69	0.68	0.68			

Conversion Services (Natural Gas Surcharges)

Process 1 - Non-Ti Air Cool	0.04	0.06	0.06	0.12	0.03	0.03	0.02	0.03	0.03			
Process 2 - Non Ti Fce Cool	0.05	0.08	0.09	0.18	0.04	0.04	0.03	0.04	0.05			
Process 3 - General Ti	0.04	0.06	0.06	0.12	0.03	0.03	0.02	0.03	0.03			
Process 4 Special Processing	0.05	0.08	0.09	0.18	0.04	0.04	0.03	0.04	0.05			
Process 5 - Machining Only	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
Process 6 - Remelt Only	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			