

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



If an alloy you purchase is not listed, call Carpenter within the U.S. at 800-654-6543. Outside the U.S., call 1-610-208-2000, press 2 for Customer Service.

4/1/2026

Chrome-based (powder products)

Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® NiCr49Nb1	5.85	6.72	6.55	6.67								
UltraFine® 17Cr-4Ni MA 3X	3.79	4.09	4.04	4.13								
CarTech UltraFine® 316 MA	6.87	7.74	7.83	8.01								
CarTech UltraFine® 420 MA	2.16	2.16	2.17	2.29								

Cobalt-based (powder products)

CarTech Micro-Melt® 1	22.29	28.97	36.18	45.91								
CarTech Micro-Melt® 12	20.96	26.62	32.29	39.61								
CarTech Micro-Melt® 188	22.88	30.20	38.01	48.91								
CarTech Micro-Melt® 188B	22.88	30.20	38.01	48.91								
CarTech Micro-Melt® 1B	23.09	29.91	37.20	46.96								
CarTech Micro-Melt® 21	15.48	18.05	19.42	20.13								
CarTech Micro-Melt® 50Nb	14.36	16.77	17.96	18.60								
CarTech Micro-Melt® 6	12.94	16.17	19.00	22.68								
CarTech Micro-Melt® 6LF	18.10	22.18	25.50	29.26								
CarTech Micro-Melt® 9810	18.14	22.29	25.71	29.64								
CarTech Micro-Melt® A4783	16.06	19.85	22.71	26.14								
CarTech Micro-Melt® BioDur® CCM®	21.71	24.36	25.82	26.48								
CarTech Micro-Melt® CCM	15.39	17.91	19.31	20.01								
CarTech Micro-Melt® CCM GADS	10.56	12.32	13.34	13.97								
CarTech Micro-Melt® CCM PLUS®	10.56	12.32	13.34	13.97								
CarTech Micro-Melt® F	20.23	26.51	33.09	42.30								
CarTech Micro-Melt® F75	15.99	18.63	20.08	20.82								
CarTech Micro-Melt® G155	19.65	22.64	24.85	25.64								
CarTech Micro-Melt® G185	19.85	25.02	29.75	35.77								
CarTech Micro-Melt® G190	17.99	20.59	22.61	23.33								
CarTech Micro-Melt® G195	11.78	13.72	14.31	14.80								
CarTech Micro-Melt® HS31	19.80	24.97	29.69	35.72								
CarTech Micro-Melt® Merl72	21.90	27.36	34.44	45.86								
CarTech Micro-Melt® Mo1	21.53	27.50	33.79	41.98								
CarTech Micro-Melt® P1316	19.62	24.64	29.14	34.82								
CarTech Micro-Melt® P1318	19.62	24.64	29.14	34.82								
CarTech Micro-Melt® P694	27.39	36.41	46.74	61.05								
CarTech Micro-Melt® R31233	15.55	18.82	21.06	23.09								
CarTech Micro-Melt® TDCA	11.49	13.35	13.92	14.39								
CarTech Micro-Melt® WearCorr™	15.87	19.00	21.17	23.23								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech UltraFine CCM®	15.39	17.91	19.31	20.01								
CarTech UltraFine® CCM PLUS®	15.39	17.91	19.31	20.01								
CarTech UltraFine® CoCr	16.28	18.97	20.45	21.20								
CarTech UltraFine® F-75HP	16.01	18.65	20.10	20.84								
CarTech UltraFine® H25	25.18	33.00	41.37	52.77								
Micro-Melt® Maraging 509B	21.48	26.29	32.81	43.58								
CarTech Micro-Melt® CTS	15.02	17.44	18.68	19.43								
Micro-Melt Biodur CCM® LS	10.93	12.77	13.82	14.49								
Micro-Melt CCM® A764 Mod	16.14	18.82	20.29	21.03								
CarTech Micro-Melt® CoWCr	16.90	19.89	21.36	22.13								
CarTech UltraFine® FeCo50	10.52	12.48	13.45	13.92								
CarTech Micro-Melt® CCM MC	10.18	12.01	13.07	13.66								
Cobalt/Nickel-based (powder products)												
CarTech UltraFine® MP35N®	12.63	14.87	15.74	16.14								
Copper-based (powder products)												
CarTech Micro-Melt® C18200	6.24	6.91	6.88	6.61								
CarTech Micro-Melt® CuNiSiCr	6.23	6.97	6.92	6.68								
CarTech Micro-Melt® G72	6.51	7.60	7.42	7.25								
CarTech UltraFine® CuNiSnP	8.16	9.48	9.31	9.03								
CarTech UltraFine® C621	7.21	8.28	8.16	7.90								
CarTech UltraFine® Cu15SnP	8.19	9.43	9.28	8.98								
CarTech UltraFine® Cu-Electr.	6.23	6.90	6.87	6.60								
CarTech UltraFine® Copper-MIM	6.26	6.93	6.91	6.64								
UltraFine® C18000	6.22	6.91	6.87	6.61								
Iron-based (powder products)												
CarTech Micro-Melt® 5506	3.62	4.04	4.14	4.23								
CarTech Micro-Melt® 654SMO	3.71	4.22	4.40	4.49								
CarTech Micro-Melt® 904L	3.52	4.12	4.18	4.19								
CarTech Micro-Melt® BS2766	1.87	2.24	2.68	3.09								
CarTech Micro-Melt® Fe LC	0.18	0.21	0.23	0.22								
CarTech Micro-Melt® Fe Powder	0.18	0.21	0.24	0.22								
CarTech Micro-Melt® LAW 100X	0.18	0.21	0.23	0.22								
CarTech Micro-Melt® 28	3.74	4.41	4.41	4.42								
CarTech Micro-Melt NCORR®	3.01	3.34	3.37	3.45								
CarTech Micro-Melt® FeCoTa	39.28	40.19	64.41	122.60								
CarTech Micro-Melt® FeCoCrNi	8.58	10.11	10.52	10.83								
CarTech Micro-Melt® FeCoTaMo	32.75	34.59	50.53	86.75								
CarTech Micro-Melt® AFA25	4.78	5.46	6.40	6.71								
CarTech Micro-Melt Ferrium® M4	20.11	22.03	25.16	25.74								
CarTech Micro-Melt® 2507 SDplx	7.41	8.81	8.64	8.71								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® VeKo25Cr	2.01	2.16	2.71	2.99								
CarTech Micro-Melt® 1.4313	1.13	1.23	1.25	1.28								
Micro-Melt Aermet-for-tooling®	4.06	4.82	5.07	5.20								
CarTech Micro-Melt® A-286	3.12	3.66	3.69	3.77								
Iron/Cobalt-based (powder products)												
CarTech Micro-Melt Hiperco® 50	10.50	12.43	13.54	14.10								
CarTech UltraFine Hiperco® 50	10.39	12.31	13.41	13.97								
Micro-Melt Hiperco® 50 HS	10.99	12.97	14.42	15.21								
Iron/Nickel (powder products)												
CarTech UltraFine® GHS 4	5.30	6.39	6.76	7.20								
Nickel-based (powder products)												
CarTech IN100	8.18	9.50	9.64	9.76								
CarTech Micro-Melt® 230	18.17	24.58	31.43	41.65								
CarTech Micro-Melt® 247LC	18.14	23.08	29.62	41.33								
CarTech Micro-Melt®247LC Mod 1	18.02	22.98	29.55	41.31								
CarTech Micro-Melt® 282	9.51	11.15	11.41	11.62								
CarTech Micro-Melt® 50/50	5.92	6.86	6.63	6.74								
CarTech Micro-Melt® 600	6.56	7.98	7.65	7.66								
CarTech Micro-Melt® 622	10.94	13.42	15.12	17.42								
CarTech Micro-Melt® 622 AWS	11.02	13.50	15.20	17.50								
CarTech Micro-Melt® 625	7.87	8.79	9.49	9.09								
CarTech Micro-Melt® 625+W	8.60	9.72	10.43	9.84								
CarTech Micro-Melt® 625AM	9.16	10.39	11.12	10.52								
CarTech Micro-Melt® 625Ar	9.16	10.39	11.12	10.52								
CarTech Micro-Melt® 625LF	9.12	10.35	11.06	10.48								
CarTech Micro-Melt® 625M	9.40	10.53	11.51	10.66								
CarTech Micro-Melt® 713C	7.57	8.93	8.77	8.86								
CarTech Micro-Melt® 718	7.07	7.81	8.67	7.75								
CarTech Micro-Melt® 80/20	6.95	8.43	8.07	8.10								
CarTech Micro-Melt® 825	5.04	6.05	5.94	5.94								
CarTech Micro-Melt® A4777	6.76	8.31	7.94	7.93								
CarTech Micro-Melt® A4778	7.22	8.96	8.54	8.52								
CarTech Micro-Melt® A4779	7.37	9.15	8.72	8.70								
CarTech Micro-Melt® A4782	6.35	7.68	7.36	7.39								
CarTech Micro-Melt® B27	7.42	9.21	8.79	8.76								
CarTech Micro-Melt® B40	6.87	8.43	8.06	8.06								
CarTech Micro-Melt® B56	6.50	7.93	7.59	7.60								
CarTech Micro-Melt® B60+	6.35	7.73	7.40	7.42								
CarTech Micro-Melt® C-276	12.17	15.04	17.22	20.06								
CarTech Micro-Melt® C-901	8.39	9.81	9.98	10.09								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® G142	6.49	7.87	7.54	7.56								
CarTech Micro-Melt® G173	10.86	12.48	14.49	19.75								
CarTech Micro-Melt® G183	11.54	14.61	16.64	19.67								
CarTech Micro-Melt® G186	9.44	11.12	11.31	11.54								
CarTech Micro-Melt® G192	6.65	7.72	7.42	7.53								
CarTech Micro-Melt® G202	7.05	7.80	8.65	7.73								
CarTech Micro-Melt® G207	6.95	8.48	8.11	8.13								
CarTech Micro-Melt® G81	6.35	7.68	7.36	7.39								
CarTech Micro-Melt® GHS-4	5.62	6.71	7.08	7.55								
CarTech Micro-Melt® HX	7.20	8.51	8.93	9.47								
CarTech Micro-Melt® HyMu 800	7.47	9.10	8.93	8.93								
CarTech Micro-Melt® IN738	11.64	14.09	16.50	21.29								
CarTech Micro-Melt® MAR-M-247	18.95	24.09	31.09	43.61								
CarTech Micro-Melt® N5A	8.62	10.04	10.09	10.34								
CarTech Micro-Melt® N5A/N5B	8.48	9.92	9.96	10.20								
CarTech Micro-Melt® N5B	8.20	9.63	9.69	9.91								
CarTech Micro-Melt® NFM 24	8.99	10.76	10.91	11.11								
CarTech Micro-Melt® NiCoCrMo	9.91	11.61	11.88	12.16								
CarTech Micro-Melt® NiCrMoAl	7.70	9.09	8.95	9.04								
CarTech Micro-Melt® NiCrMoB	9.27	10.90	11.10	11.21								
CarTech Micro-Melt® TDCA/TDCB	10.72	12.49	12.96	13.38								
CarTech Micro-Melt® TDCB	9.24	10.84	11.13	11.44								
CarTech UltraFine® 713C	7.57	8.92	8.75	8.84								
CarTech UltraFine® 718	7.07	7.81	8.67	7.75								
CarTech UltraFine® Alloy X	7.56	8.96	9.40	9.95								
CarTech UltraFine® HX	7.68	9.08	9.52	10.07								
CarTech UltraFine® K500	13.34	12.72	18.13	12.44								
CarTech UltraFine® NiCoCrAlY	9.06	10.58	10.81	11.12								
CarTech Micro-Melt® BRB	8.23	9.86	9.72	9.85								
CarTech Micro-Melt® G204	6.80	8.36	7.99	7.98								
CarTech Micro-Melt® Waspaloy	9.28	10.93	11.09	11.32								
CarTech Micro-Melt® A914	9.88	12.04	12.09	12.27								
CarTech Micro-Melt® 5 Fe	11.78	14.08	14.65	15.04								
CarTech Micro-Melt® 725	8.50	9.60	10.29	9.69								
CarTech UltraFine® 625	9.16	10.39	11.12	10.52								
CarTech UltraFine® Fe-50Ni	4.00	4.96	4.74	4.72								
CarTech Micro-Melt® L1	11.10	13.32	15.51	17.09								
CarTech Micro-Melt® Ni-24.5Cr	7.82	9.70	9.25	9.23								
CarTech Micro-Melt® HX-1LC	7.89	9.37	9.92	10.62								
CarTech Micro-Melt® R95	11.97	14.52	16.92	18.95								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® R125-1	16.95	20.97	26.73	37.55								
CarTech Micro-Melt® C263	10.42	12.25	12.62	12.91								
CarTech Micro-Melt® 718 AM	7.01	7.76	8.57	7.71								
CarTech Micro-Melt® 690	5.96	7.10	6.83	6.89								
CarTech Micro-Melt® 82	7.35	8.60	8.75	8.30								
Micro-Melt® STAL18SILAY	13.20	15.46	19.25	27.79								
CarTech Micro-Melt® 738 LC	11.78	14.10	16.56	21.03								
CarTech Micro-Melt® 263	10.73	12.32	12.75	13.23								
CarTech Micro-Melt® HX LC	7.68	9.08	9.52	10.07								
CarTech Micro-Melt® HX-4	7.73	9.18	9.69	10.34								
CarTech Micro-Melt® R77	9.53	11.17	11.36	11.62								
CarTech Micro-Melt® 109 Mod	11.85	14.13	16.18	19.58								
CarTech Micro-Melt® Ni60H	6.40	7.79	7.46	7.48								
CarTech Micro-Melt® 625F-1	8.88	10.04	10.78	10.19								
CarTech Micro-Melt® 792	14.71	17.61	22.08	31.25								
CarTech Micro-Melt® NiCrAlY	6.57	7.57	7.27	7.40								
CarTech Micro-Melt® 720	10.35	12.50	13.43	14.81								
CarTech UltraFine® Ni20Cr	7.10	8.61	8.25	8.28								
CarTech UltraFine® NiCrMo	5.94	6.91	7.01	7.10								
CarTech UltraFine® 90	9.24	10.97	11.06	11.31								
CarTech UltraFine® M400	7.23	8.72	8.41	8.31								
CarTech UltraFine® R77	9.50	11.15	11.34	11.60								
UltraFine® Maraging 247	18.52	23.64	30.37	42.24								
CarTech UltraFine® HyMu 800	7.47	9.10	8.93	8.94								
CarTech Micro-Melt® 75	6.49	7.98	7.63	7.60								
Tool Steel (powder products)												
Alloy Description												
CarTech Micro-Melt Custom 470®	1.40	1.65	1.66	1.65								
CarTech Micro-Melt® 100	2.30	2.72	3.12	3.60								
CarTech Micro-Melt® 100Cr6	0.20	0.23	0.25	0.24								
CarTech Micro-Melt® 1045	0.18	0.21	0.23	0.22								
CarTech Micro-Melt® 15Cr-5Ni	1.29	1.41	1.41	1.43								
CarTech Micro-Melt® 16MnCr5	0.19	0.22	0.25	0.23								
CarTech Micro-Melt® 17Cr-4Ni	0.95	1.07	1.07	1.05								
CarTech Micro-Melt® 20-4	1.59	1.88	2.52	3.11								
CarTech Micro-Melt®2205 Duplex	1.62	1.80	1.91	1.95								
CarTech Micro-Melt®2505 SDplx	1.72	1.91	2.00	2.03								
CarTech Micro-Melt® 2205M	1.65	1.82	1.93	1.97								
CarTech Micro-Melt® 23	6.12	8.28	11.36	15.57								
CarTech Micro-Melt® 2357	1.92	2.22	2.28	2.29								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® 23S	6.12	8.28	11.36	15.57								
CarTech Micro-Melt® 25-10-10	6.09	7.44	9.32	11.62								
CarTech Micro-Melt® 253	1.17	1.34	1.32	1.32								
CarTech Micro-Melt® 254SMO	3.13	3.55	3.72	3.79								
CarTech Micro-Melt® 25-7-4	2.02	2.26	2.40	2.42								
CarTech Micro-Melt® 2739	9.49	13.04	17.91	24.75								
CarTech Micro-Melt® 2888	7.42	9.92	12.92	16.99								
CarTech Micro-Melt® 2906	1.65	1.84	1.91	1.92								
CarTech Micro-Melt® 30	7.21	9.59	12.80	17.10								
CarTech Micro-Melt® 304	1.14	1.31	1.29	1.29								
CarTech Micro-Melt® 304B4	1.97	2.24	2.20	2.23								
CarTech Micro-Melt® 304B6	1.97	2.24	2.20	2.23								
CarTech Micro-Melt® 304B7	2.00	2.27	2.23	2.26								
CarTech Micro-Melt® 304L	1.65	1.84	1.82	1.86								
CarTech Micro-Melt® 308L Mod	1.23	1.43	1.41	1.39								
CarTech Micro-Melt® 309L	2.23	2.49	2.47	2.52								
CarTech Micro-Melt® 30LS	8.70	11.50	15.18	19.93								
CarTech Micro-Melt® 30Nb	8.64	11.43	15.08	19.80								
CarTech Micro-Melt® 312	1.30	1.49	1.46	1.45								
CarTech Micro-Melt® 316L	1.62	1.85	1.90	1.92								
CarTech Micro-Melt® 316L AWS	1.73	1.99	2.04	2.05								
CarTech Micro-Melt® 316L+S	1.73	1.99	2.04	2.05								
CarTech Micro-Melt® 316LHSi	2.47	2.77	2.84	2.89								
CarTech Micro-Melt® 316LN	2.40	2.71	2.76	2.81								
CarTech Micro-Melt® 316Lx1.5	2.39	2.76	2.83	2.84								
CarTech Micro-Melt® 347H	1.24	1.46	1.43	1.42								
CarTech Micro-Melt® 410	0.27	0.30	0.33	0.33								
CarTech Micro-Melt® 410L	0.68	0.70	0.72	0.74								
CarTech Micro-Melt® 4112	0.68	0.72	0.79	0.78								
CarTech Micro-Melt® 4130	0.30	0.34	0.38	0.37								
CarTech Micro-Melt® 4140	0.22	0.25	0.27	0.26								
CarTech Micro-Melt® 416R	0.45	0.49	0.52	0.51								
CarTech Micro-Melt® 420	0.72	0.74	0.76	0.78								
CarTech Micro-Melt® 420 LCM	0.72	0.74	0.77	0.79								
CarTech Micro-Melt® 420-CW	1.54	1.69	2.44	2.87								
CarTech Micro-Melt® 420LC	0.72	0.74	0.76	0.78								
CarTech Micro-Melt® 422	1.98	2.50	3.17	4.10								
CarTech Micro-Melt® 431	0.98	1.04	1.05	1.08								
CarTech Micro-Melt® 4340	0.33	0.39	0.41	0.39								
CarTech Micro-Melt® 4370	1.55	1.71	1.70	1.74								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® 440	1.25	1.35	1.87	2.17								
CarTech Micro-Melt® 440C	0.99	1.02	1.06	1.10								
CarTech Micro-Melt® 440-XH	1.13	1.18	1.28	1.34								
CarTech Micro-Melt® 4848	2.77	3.16	3.08	3.14								
CarTech Micro-Melt® 53	4.71	6.18	8.67	11.70								
CarTech Micro-Melt® 5499	0.86	0.94	1.10	1.13								
CarTech Micro-Melt® 60	8.42	10.99	14.64	19.26								
CarTech Micro-Melt®6126Ni-free	1.62	1.71	1.85	1.91								
CarTech Micro-Melt® 7339	0.33	0.37	0.41	0.40								
CarTech Micro-Melt® 736A	1.61	1.73	1.74	1.79								
CarTech Micro-Melt® 80	14.65	19.57	26.03	34.50								
CarTech Micro-Melt® 800	2.53	2.74	4.00	4.84								
CarTech Micro-Melt® 9038	2.48	3.17	4.27	5.59								
CarTech Micro-Melt® 9040	4.10	5.24	7.03	9.18								
CarTech Micro-Melt® 9055	7.12	9.45	12.59	16.78								
CarTech Micro-Melt® 9078	1.91	2.10	2.88	3.29								
CarTech Micro-Melt® 9098	1.11	1.20	1.58	1.78								
CarTech Micro-Melt® 9655	2.65	3.00	3.16	3.18								
CarTech Micro-Melt® 9659	3.34	3.67	3.82	3.91								
CarTech Micro-Melt® 9660	3.34	3.67	3.82	3.91								
CarTech Micro-Melt® A11	1.59	1.75	2.58	3.04								
CarTech Micro-Melt® A11HC	2.53	2.79	3.83	4.38								
CarTech Micro-Melt® A11LVC	1.56	1.71	2.50	2.95								
CarTech Micro-Melt® A11-VP	1.70	1.88	2.72	3.23								
CarTech Micro-Melt® Aermet®100	4.20	4.98	5.25	5.38								
CarTech Micro-Melt® AISI8740	0.30	0.34	0.38	0.37								
CarTech Micro-Melt® AM400Plus	1.75	1.95	1.98	2.01								
CarTech Micro-Melt® APM 2370	1.76	1.96	2.08	2.09								
CarTech Micro-Melt® CD#1	0.80	0.88	1.03	1.08								
CarTech Micro-Melt® D2	0.73	0.80	0.94	0.99								
CarTech Micro-Melt® D7	1.02	1.11	1.50	1.70								
CarTech Micro-Melt® Duplex 22	1.60	1.79	1.90	1.91								
CarTech Micro-Melt® F22	0.55	0.61	0.67	0.67								
CarTech Micro-Melt® FeSi	0.22	0.24	0.27	0.25								
CarTech Micro-Melt® FeSi 600	0.22	0.24	0.27	0.25								
CarTech Micro-Melt® Grade 92	1.86	2.55	3.45	4.71								
CarTech Micro-Melt® H13	0.91	0.98	1.21	1.33								
CarTech Micro-Melt® H163	6.00	8.07	11.11	15.18								
CarTech Micro-Melt® HS-30	7.07	9.39	12.50	16.68								
CarTech Micro-Melt® M300	5.32	6.13	6.43	6.55								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® M4	6.00	8.05	11.08	15.12								
CarTech Micro-Melt® M4 HCS	6.60	8.84	12.09	16.34								
CarTech Micro-Melt® M42	4.49	5.41	6.58	7.75								
CarTech Micro-Melt® M48	9.90	13.46	18.22	24.87								
CarTech Micro-Melt® M48 LS	9.94	13.50	18.26	24.91								
CarTech Micro-Melt® Maxamet®	11.41	15.87	21.96	30.63								
CarTech Micro-Melt® MV 11K	1.16	1.25	1.60	1.79								
CarTech Micro-Melt® NOREM 02	0.65	0.76	0.79	0.79								
CarTech Micro-Melt® O6	0.19	0.21	0.24	0.22								
CarTech Micro-Melt® P-28	3.33	3.66	3.81	3.91								
CarTech Micro-Melt® PD#1	1.66	2.09	2.82	3.64								
CarTech Micro-Melt® PD#5	2.67	3.40	4.62	6.07								
CarTech Micro-Melt® SA508	0.37	0.42	0.46	0.45								
CarTech Micro-Melt® 15-5PH	0.92	1.04	1.04	1.02								
CarTech Micro-Melt® T15	10.28	14.44	20.18	28.44								
CarTech Micro-Melt® T15 Plus	9.69	13.34	18.34	25.38								
CarTech Micro-Melt® TD#1	2.38	3.12	4.15	5.49								
CarTech Micro-Melt® TF1	1.41	1.58	1.83	1.93								
CarTech Micro-Melt® TF6	15.75	21.91	30.40	42.54								
CarTech Micro-Melt® TMM	0.95	1.05	1.21	1.26								
CarTech Micro-Melt® VA176	2.23	2.41	3.31	3.88								
CarTech Micro-Melt® W4841Nb	2.06	2.45	2.37	2.36								
CarTech Micro-Melt® X245	1.64	1.81	2.66	3.15								
Micro-Melt® X4CrNiMo 16-5-1	0.75	0.85	0.85	0.85								
CarTech UltraFine® 1.2709	4.65	5.48	5.77	5.88								
CarTech UltraFine® 1.4435	3.27	3.63	3.75	3.83								
CarTech UltraFine® 17Cr-4Ni	1.37	1.49	1.49	1.51								
CarTech UltraFine® 304L	1.10	1.26	1.24	1.24								
CarTech UltraFine® 316L	1.73	1.99	2.05	2.05								
CarTech UltraFine® 410L	0.35	0.37	0.40	0.38								
CarTech UltraFine® 430L	0.85	0.87	0.89	0.93								
CarTech UltraFine® 4340	0.33	0.39	0.41	0.39								
CarTech UltraFine® 4340 MA 3X	0.33	0.39	0.41	0.39								
CarTech UltraFine® 440C+1.5Nb	1.26	1.19	1.49	1.24								
CarTech UltraFine® D2	0.64	0.70	0.84	0.89								
CarTech UltraFine® Fe14MnC	0.21	0.23	0.25	0.24								
UltraFine® Fe17Cr11Mn3Mo	1.66	1.75	1.89	1.94								
CarTech UltraFine® Fe-30Cr	1.37	1.38	1.40	1.47								
CarTech UltraFine® Fe30Ni	2.47	3.06	2.94	2.92								
CarTech UltraFine® Fe8Ni	0.79	0.97	0.95	0.94								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech UltraFine® FeCrAlY	0.75	0.63	0.65	0.69								
CarTech UltraFine® FeSiAl	0.48	0.38	0.40	0.43								
CarTech UltraFine® H13	0.71	0.77	0.93	0.99								
CarTech UltraFine® M2	5.90	7.99	10.96	15.05								
CarTech UltraFine® Mod FeSiAl	0.49	0.38	0.41	0.43								
CarTech UltraFine® S7	0.64	0.70	0.78	0.78								
CarTech UltraFine® SCM415	0.20	0.22	0.25	0.23								
UltraFine® X2NiCoMo 18-9-5	4.56	5.38	5.66	5.77								
CarTech UltraFine® X65Cr13	0.73	0.75	0.78	0.80								
CarTech Micro-Melt® 65Fe35Co	7.42	8.80	9.48	9.81								
CarTech Micro-Melt® 255N	2.48	2.69	2.79	2.86								
CarTech Micro-Melt® 431 FM	0.99	1.04	1.06	1.09								
CarTech Micro-Melt® 21-6-9	1.54	1.68	1.67	1.72								
CarTech Micro-Melt® 9310	0.51	0.60	0.61	0.60								
CarTech UltraFine® Fe-3Si	0.19	0.22	0.24	0.23								
CarTech UltraFine® SKH57	11.97	16.22	21.77	29.30								
CarTech UltraFine® Fe-6Si	0.20	0.23	0.25	0.24								
CarTech UltraFine® F15	5.91	7.13	7.34	7.49								
CarTech UltraFine® 347	1.73	1.96	1.93	1.96								
CarTech UltraFine® Fe-18Cr	0.89	0.91	0.93	0.97								
CarTech UltraFine® 4140	0.27	0.30	0.34	0.33								
CarTech UltraFine® VeKo25Cr	5.89	7.84	11.03	14.74								
CarTech UltraFine® 4140 MA	0.45	0.49	0.54	0.54								
CarTech UltraFine® HK30	3.10	3.42	3.60	3.39								
CarTech UltraFine® Fe-42Ni	3.40	4.22	4.04	4.02								
CarTech UltraFine® 218	2.61	2.89	3.00	3.03								
CarTech Micro-Melt® 7570	8.38	10.88	14.28	18.80								
CarTech Micro-Melt Invar 36®	2.93	3.62	3.47	3.46								
CarTech Micro-Melt® Alloy 1	1.76	1.95	1.97	2.02								
CarTech Micro-Melt® EN25	0.54	0.63	0.66	0.65								
CarTech Micro-Melt® PWC7	3.57	3.67	5.16	5.33								
CarTech Micro-Melt® 4304-2	1.74	1.95	1.92	1.96								
CarTech Micro-Melt® BSEC510	0.37	0.43	0.46	0.45								
CarTech Micro-Melt® P21 Mod	0.58	0.66	0.68	0.69								
CarTech Micro-Melt® 177-1	1.44	1.57	1.56	1.60								
CarTech Micro-Melt® FeCoMo	7.12	8.19	8.93	9.16								
CarTech Micro-Melt® 13Cr-8Ni	1.86	2.06	2.12	2.17								
CarTech Micro-Melt® FeCrWTi	3.13	4.26	5.76	7.95								
CarTech Micro-Melt® 316L Mod-1	2.00	2.26	2.22	2.26								
CarTech Micro-Melt® 316L Mod-2	1.97	2.25	2.20	2.24								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® 316L Mod-3	2.75	3.14	3.07	3.12								
CarTech Micro-Melt® C300	4.57	5.38	5.67	5.78								
CarTech Micro-Melt® 420-CW Mod	2.09	2.25	3.05	3.57								
Micro-Melt Ferrium® PH48S	3.22	3.71	3.90	4.00								
CarTech Micro-Melt® Fe-10Ni	0.97	1.18	1.17	1.17								
Micro-Melt Ferrium® C64	9.65	11.73	11.90	12.20								
CarTech Micro-Melt® SA508 Gr4N	0.67	0.77	0.80	0.80								
CarTech UltraFine® 17Cr-4Ni Ar	1.59	1.70	1.77	1.74								
CarTech Micro-Melt® HTMO	1.51	1.64	1.65	1.68								
CarTech Micro-Melt® 1.2709	4.65	5.47	5.76	5.88								
CarTech Micro-Melt® NitroMaxx	2.00	2.14	2.21	2.28								
CarTech Micro-Melt® M152	1.30	1.41	1.51	1.56								
CarTech Micro-Melt® FeCrAlTi	1.20	1.10	1.12	1.21								
CarTech Micro-Melt® SHS8000	2.70	2.57	3.43	2.76								
CarTech UltraFine® 13Cr-8Ni	1.87	2.07	2.14	2.18								
CarTech UltraFine® 42CrMo4	0.27	0.30	0.34	0.33								
Micro-Melt® BioDur 108 Low Ni	1.40	1.45	1.52	1.59								
CarTech UltraFine® 420	1.10	1.03	1.34	1.08								
CarTech Micro-Melt® BioDur 108	1.40	1.45	1.52	1.59								
CarTech UltraFine Custom 465®	1.74	1.97	1.98	2.02								
CarTech UltraFine® Fe10Mn3Si	0.26	0.29	0.32	0.32								
CarTech UltraFine® 440A	0.85	0.87	0.89	0.93								
CarTech UltraFine® 15Cr-5Ni	1.40	1.51	1.56	1.52								
CarTech UltraFine® X20Cr13	0.73	0.75	0.77	0.80								
CarTech UltraFine® S5	0.37	0.42	0.47	0.47								
CarTech UltraFine® FeCoSiNbBCu	7.99	8.86	10.50	9.73								
CarTech UltraFine® 18Ni300	4.60	5.41	5.70	5.82								
CarTech UltraFine® Fe6.5Si5Cr	0.40	0.43	0.45	0.45								
CarTech UltraFine Custom 455®	1.51	1.67	1.71	1.68								
CarTech UltraFine Custom 475®	4.21	4.80	5.13	5.27								
CarTech UltraFine® FeSiNbCuB	1.80	1.50	2.58	1.51								
UltraFine Hi Permeability 49®	3.85	4.77	4.56	4.54								
CarTech UltraFine® X25CrMo14	1.00	1.04	1.10	1.13								
CarTech UltraFine® A2	0.70	0.76	0.85	0.88								
CarTech UltraFine® 303	1.74	1.94	1.94	1.98								
CarTech UltraFine® FeCo35	7.42	8.80	9.48	9.81								
CarTech UltraFine® 440C	0.85	0.87	0.89	0.93								
CarTech UltraFine® 420Mod	1.85	1.98	2.75	3.26								
CarTech Micro-Melt® 9043	6.19	8.38	11.50	15.78								
CarTech Micro-Melt® AF9628	0.52	0.59	0.64	0.63								

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CarTech Micro-Melt® MS-1(N)	4.63	5.45	5.74	5.85								
CarTech Micro-Melt NiMark® 350	5.21	6.14	6.49	6.62								
CarTech UltraFine® 316L Mod	2.18	2.52	2.59	2.60								
CarTech Micro-Melt® 416	0.79	0.83	0.86	0.88								
CarTech Micro-Melt® 30CD12	0.37	0.41	0.45	0.45								
CarTech Micro-Melt® Wear 26	0.98	1.05	1.31	1.43								
CarTech Micro-Melt® Wear 20	1.17	1.27	1.70	1.92								
Tungsten/Nickel-based (powder products)												
CarTech Micro-Melt® Amega NM	39.45	55.61	75.97	105.65								
CarTech Micro-Melt® NT-60	51.07	73.19	101.40	142.93								
CarTech Micro-Melt® NT-60KS	48.94	70.12	97.09	136.82								
CarTech Micro-Melt® NT-60SP	50.51	72.41	100.38	141.55								
CarTech Micro-Melt® NT-70SP	57.98	83.39	116.34	164.75								
CarTech Micro-Melt® NT-65	54.71	78.57	109.27	154.42								
CarTech Micro-Melt® NT-50 SPH	45.24	64.68	89.16	125.27								
Other (powder products)												
CarTech Micro-Melt®Pyrowear 53	1.24	1.39	1.52	1.53								
Micro-Melt® Glass Sealing 18	0.43	0.46	0.48	0.47								
CarTech UltraFine® 1.4923	1.29	1.38	1.69	1.88								
CarTech Micro-Melt® 901	4.79	5.73	5.76	5.79								
CarTech Micro-Melt® 5120	0.22	0.25	0.27	0.26								
CarTech UltraFine® 1.4848	2.73	3.12	3.04	3.09								

Unless otherwise noted, trademarks reg. U.S. Pat. & Tm. Off. to CRS Holdings, Inc., a subsidiary of Carpenter Technology Corporation.

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.