Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)

If an alloy you purchase is not listed, call Carpenter within the U.S. at 800-654-6543. Outside the U.S., call 1-610-208-2000, press 2 for Customer Service.

11/2/2026

Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
Chrome-based (powder products)												
CarTech Micro-Melt® NiCr49Nb1	5.85	6.72	6.55	6.67	7.04	7.26	6.93	6.65	6.69	6.49	6.23	
CT POWDERRANGE Ti 6Al-4V Gr23	0.77	0.68	1.01	1.30	1.41	1.02	0.92	0.86	0.72	1.00	0.71	
Cobalt-based (powder products)												
CarTech Micro-Melt® 21	15.48	18.05	19.42	20.13	19.14	19.50	19.69	19.61	19.04	17.58	15.79	
CarTech Micro-Melt® 50Nb	14.36	16.77	17.96	18.60	17.72	18.03	18.15	18.03	17.49	16.13	14.41	
CarTech Micro-Melt® 6	12.94	16.17	19.00	22.68	21.72	20.17	19.59	19.31	18.42	17.02	14.64	
CarTech Micro-Melt®BioDur®CCM®	21.71	24.36	25.82	26.48	25.17	15.76	15.94	15.95	15.54	14.46	13.15	
CarTech Micro-Melt® CCM	15.39	17.91	19.31	20.01	19.03	19.39	19.60	19.54	18.99	17.54	15.79	
CarTech Micro-Melt® CCM GADS	10.56	12.32	13.34	13.97	13.88	15.05	15.22	15.20	14.82	13.76	12.56	
CarTech Micro-Melt® CCM PLUS®	10.56	12.32	13.34	13.97	13.88	15.05	15.22	15.20	14.82	13.76	12.56	
CarTech Micro-Melt® Merl72	21.90	27.36	34.44	45.86	44.27	40.81	39.98	40.45	39.36	37.70	34.91	
CarTech Micro-Melt® WearCorr™	15.87	19.00	21.17	23.23	22.01	21.55	21.33	21.14	20.46	19.02	17.01	
Micro-Melt Biodur CCM® LS	10.93	12.77	13.82	14.49	14.38	15.59	15.76	15.73	15.32	14.18	12.87	
CarTech Micro-Melt® CCM MC	10.18	12.01	13.07	13.66	13.53	14.77	14.96	14.93	14.53	13.46	12.28	
Iron-based (powder products)												
CarTech Micro-Melt® 654SMO	3.71	4.22	4.40	4.49	4.67	5.03	4.99	4.95	5.09	5.06	4.91	
CarTech Micro-Melt® LAW 100X	0.18	0.21	0.23	0.22	0.22	0.23	0.23	0.23	0.23	0.25	0.25	
CarTech Micro-Melt® 2507 SDplx	7.41	8.81	8.64	8.71	9.19	9.67	9.20	8.79	8.92	8.69	8.49	
Micro-Melt Aermet-for-tooling®	4.06	4.82	5.07	5.20	5.04	5.18	5.14	5.06	4.94	4.61	4.17	
AlSi10Mg	3.79	1.94	1.95	2.65	4.33	2.26	2.91	3.37	2.13	6.19	2.02	
CT POWDERRANGE AlSi10Mg	3.79	1.94	1.95	2.65	4.33	2.26	2.91	3.37	2.13	6.19	2.02	
Iron/Cobalt-based (powder products)												
CarTech Micro-Melt Hiperco® 50	10.50	12.43	13.54	14.10	13.25	13.26	13.31	13.16	12.60	11.48	9.88	
Nickel-based (powder products)												
CarTech Micro-Melt® 230	18.17	24.58	31.43	41.65	39.09	33.75	31.04	30.16	28.85	27.63	24.43	
CarTech Micro-Melt® 247LC	18.14	23.08	29.62	41.33	40.72	37.10	35.85	36.18	35.43	34.76	32.67	
CarTech Micro-Melt®247LC Mod 1	18.02	22.98	29.55	41.31	40.71	37.10	35.86	36.21	35.46	34.80	32.74	
CarTech Micro-Melt® 600	6.56	7.98	7.65	7.66	8.13	8.52	7.96	7.47	7.53	7.30	6.89	
CarTech Micro-Melt® 622	10.94	13.42	15.12	17.42	17.24	16.79	16.01	15.67	15.67	15.30	14.99	
CarTech Micro-Melt® 622 AWS	11.02	13.50	15.20	17.50	17.33	16.88	16.10	15.76	15.76	15.39	15.08	
CarTech Micro-Melt® 625	7.87	8.79	9.49	9.09	9.51	10.05	9.74	9.54	9.73	9.59	9.25	
CarTech Micro-Melt® 625+W	8.60	9.72	10.43	9.84	10.32	10.90	10.48	10.20	10.39	10.20	10.52	
CarTech Micro-Melt® 625AM	9.16	10.39	11.12	10.52	11.04	11.68	11.24	10.93	11.14	10.95	11.30	
CarTech Micro-Melt® 625Ar	9.16	10.39	11.12	10.52	11.04	11.68	11.24	10.93	11.14	10.95	11.30	

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)

CARPENTER® TECHNOLOGY

Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
CarTech Micro-Melt® 625LF	9.12	10.35	11.06	10.48	10.99	11.63	11.20	10.89	11.10	10.91	11.25	
CarTech Micro-Melt® 713C	7.57	8.93	8.77	8.86	9.44	9.85	9.40	9.01	9.06	9.11	8.66	
CarTech Micro-Melt® 718	7.07	7.81	8.67	7.75	8.19	8.52	8.09	7.81	7.90	7.76	7.99	
CarTech Micro-Melt® C-276	12.17	15.04	17.22	20.06	19.74	19.12	18.23	17.87	17.86	17.45	17.12	
CarTech Micro-Melt® HX	7.20	8.51	8.93	9.47	9.70	10.02	9.68	9.45	9.60	9.42	9.47	
CarTech Micro-Melt® IN738	11.64	14.09	16.50	21.29	21.59	20.76	20.34	20.49	20.30	19.95	19.06	
CarTech Micro-Melt® MAR-M-247	18.95	24.09	31.09	43.61	42.97	39.15	37.89	38.32	37.54	36.83	34.70	
CarTech Micro-Melt® L1	11.10	13.32	15.51	17.09	16.97	16.33	15.41	15.00	14.90	14.53	14.23	
CarTech Micro-Melt® R95	11.97	14.52	16.92	18.95	18.62	17.56	16.55	16.06	15.70	15.25	14.21	
CarTech Micro-Melt® 690	5.96	7.10	6.83	6.89	7.30	7.60	7.15	6.76	6.81	6.60	6.27	
CarTech Micro-Melt® 738 LC	11.78	14.10	16.56	21.03	21.38	20.63	20.20	20.32	20.16	19.82	19.05	
CarTech Micro-Melt® HX LC	7.68	9.08	9.52	10.07	10.29	10.63	10.27	10.03	10.16	9.94	9.93	
CarTech Micro-Melt® R77	9.53	11.17	11.36	11.62	11.83	12.22	11.90	11.56	11.46	11.13	10.32	
CarTech Micro-Melt® NiCrAlY	6.57	7.57	7.27	7.40	8.06	8.10	7.70	7.33	7.21	7.56	6.62	
Tool Steel (powder products)												
Alloy Description												
CarTech Micro-Melt Custom 470®	1.40	1.65	1.66	1.65	1.74	1.84	1.78	1.72	1.74	1.72	1.73	
CarTech Micro-Melt® 15Cr-5Ni	1.29	1.41	1.41	1.43	1.50	1.54	1.51	1.48	1.50	1.48	1.45	
CarTech Micro-Melt® 17Cr-4Ni	0.95	1.07	1.07	1.05	1.11	1.16	1.14	1.11	1.13	1.13	1.15	
CarTech Micro-Melt® 20-4	1.59	1.88	2.52	3.11	3.06	2.66	2.45	2.35	2.26	2.21	2.10	
CarTech Micro-Melt®2205 Duplex	1.62	1.80	1.91	1.95	2.02	2.18	2.19	2.20	2.26	2.26	2.21	
CarTech Micro-Melt®2505 SDplx	1.72	1.91	2.00	2.03	2.12	2.28	2.28	2.28	2.34	2.34	2.29	
CarTech Micro-Melt® 2205M	1.65	1.82	1.93	1.97	2.05	2.20	2.21	2.22	2.28	2.28	2.24	
CarTech Micro-Melt® 23	6.12	8.28	11.36	15.57	14.52	12.33	11.37	11.13	10.66	10.31	9.18	
CarTech Micro-Melt® 23S	6.12	8.28	11.36	15.57	14.52	12.33	11.37	11.13	10.66	10.31	9.18	
CarTech Micro-Melt® 2906	1.65	1.84	1.91	1.92	2.01	2.15	2.14	2.12	2.17	2.16	2.30	
CarTech Micro-Melt® 30	7.21	9.59	12.80	17.10	16.02	13.83	12.87	12.63	12.08	11.59	10.26	
CarTech Micro-Melt® 304	1.14	1.31	1.29	1.29	1.37	1.42	1.37	1.31	1.32	1.31	1.26	
CarTech Micro-Melt® 304L	1.65	1.84	1.82	1.86	1.95	2.00	1.93	1.87	1.88	1.84	1.78	
CarTech Micro-Melt® 316L	1.62	1.85	1.90	1.92	2.01	2.14	2.11	2.07	2.12	2.11	2.05	
CarTech Micro-Melt® 316L AWS	1.73	1.99	2.04	2.05	2.14	2.29	2.24	2.20	2.25	2.23	2.32	
CarTech Micro-Melt® 316L+S	1.73	1.99	2.04	2.05	2.14	2.29	2.24	2.20	2.25	2.23	2.32	
CarTech Micro-Melt® 316LN	2.40	2.71	2.76	2.81	2.93	3.09	3.02	2.97	3.03	2.99	3.03	
CarTech Micro-Melt® 316Lx1.5	2.39	2.76	2.83	2.84	2.97	3.18	3.11	3.05	3.12	3.09	3.22	
CarTech Micro-Melt® 410	0.27	0.30	0.33	0.33	0.33	0.33	0.34	0.36	0.37	0.38	0.38	
CarTech Micro-Melt® 410L	0.68	0.70	0.72	0.74	0.77	0.77	0.77	0.77	0.77	0.77	0.76	
CarTech Micro-Melt® 4112	0.68	0.72	0.79	0.78	0.81	0.87	0.89	0.90	0.92	0.93	1.03	
CarTech Micro-Melt® 420	0.72	0.74	0.76	0.78	0.81	0.81	0.81	0.81	0.82	0.81	0.80	
CarTech Micro-Melt® 420 LCM	0.72	0.74	0.77	0.79	0.82	0.82	0.82	0.82	0.83	0.82	0.82	

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)

CARPENTER TECHNOLOGY

Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
CarTech Micro-Melt® 420-CW	1.54	1.69	2.44	2.87	2.95	2.47	2.19	2.00	1.88	1.88	1.89	
CarTech Micro-Melt® 420LC	0.72	0.74	0.76	0.78	0.81	0.81	0.81	0.81	0.82	0.81	0.80	
CarTech Micro-Melt® 422	1.98	2.50	3.17	4.10	3.88	3.41	3.21	3.16	3.06	2.97	2.75	
CarTech Micro-Melt® 431	0.98	1.04	1.05	1.08	1.13	1.14	1.12	1.11	1.12	1.10	1.08	
CarTech Micro-Melt® 4340	0.33	0.39	0.41	0.39	0.41	0.43	0.42	0.40	0.40	0.41	0.40	
CarTech Micro-Melt® 440	1.25	1.35	1.87	2.17	2.20	1.87	1.68	1.56	1.48	1.50	1.56	
CarTech Micro-Melt® 440C	0.99	1.02	1.06	1.10	1.14	1.16	1.16	1.17	1.19	1.17	1.20	
CarTech Micro-Melt® 440-XH	1.13	1.18	1.28	1.34	1.38	1.38	1.37	1.37	1.39	1.37	1.41	
CarTech Micro-Melt® 53	4.71	6.18	8.67	11.70	11.04	9.26	8.44	8.15	7.75	7.51	6.79	
CarTech Micro-Melt® 60	8.42	10.99	14.64	19.26	18.17	15.79	14.71	14.40	13.81	13.27	11.86	
CarTech Micro-Melt® A11	1.59	1.75	2.58	3.04	3.10	2.60	2.30	2.10	1.98	1.98	1.99	
CarTech Micro-Melt® A11HC	2.53	2.79	3.83	4.38	4.47	4.03	3.73	3.55	3.48	3.48	3.46	
CarTech Micro-Melt® A11LVC	1.56	1.71	2.50	2.95	3.01	2.53	2.25	2.06	1.95	1.94	1.95	
CarTech Micro-Melt® A11-VP	1.70	1.88	2.72	3.23	3.24	2.72	2.39	2.20	2.09	2.11	2.17	
CarTech Micro-Melt® Aermet®100	4.20	4.98	5.25	5.38	5.22	5.36	5.33	5.24	5.13	4.79	4.35	
CarTech Micro-Melt® AISI8740	0.30	0.34	0.38	0.37	0.37	0.40	0.40	0.40	0.40	0.41	0.42	
CarTech Micro-Melt® CD#1	0.80	0.88	1.03	1.08	1.12	1.12	1.10	1.08	1.09	1.10	1.09	
CarTech Micro-Melt® D2	0.73	0.80	0.94	0.99	1.00	0.98	0.96	0.94	0.93	0.94	0.98	
CarTech Micro-Melt® D7	1.02	1.11	1.50	1.70	1.75	1.55	1.43	1.35	1.31	1.31	1.31	
CarTech Micro-Melt® F22	0.55	0.61	0.67	0.67	0.68	0.73	0.74	0.75	0.77	0.78	0.82	
CarTech Micro-Melt® H13	0.91	0.98	1.21	1.33	1.36	1.30	1.25	1.22	1.21	1.21	1.21	
CarTech Micro-Melt® H163	6.00	8.07	11.11	15.18	14.19	12.03	11.07	10.82	10.35	10.02	8.95	
CarTech Micro-Melt® M300	5.32	6.13	6.43	6.55	6.47	6.78	6.72	6.64	6.64	6.40	6.22	
CarTech Micro-Melt® M4	6.00	8.05	11.08	15.12	14.13	12.00	11.05	10.80	10.34	10.00	8.94	
CarTech Micro-Melt® M4 HCS	6.60	8.84	12.09	16.34	15.24	12.96	11.94	11.69	11.21	10.85	9.96	
CarTech Micro-Melt® M42	4.49	5.41	6.58	7.75	7.51	7.28	7.14	7.15	7.11	6.91	6.40	
CarTech Micro-Melt® M48	9.90	13.46	18.22	24.87	23.14	19.68	18.20	17.82	16.98	16.26	14.27	
CarTech Micro-Melt® M48 LS	9.94	13.50	18.26	24.91	23.19	19.73	18.24	17.87	17.03	16.31	14.32	
CarTech Micro-Melt® Maxamet®	11.41	15.87	21.96	30.63	28.38	23.51	21.44	20.84	19.61	18.68	16.19	
CarTech Micro-Melt® MV 11K	1.16	1.25	1.60	1.79	1.86	1.69	1.58	1.51	1.47	1.48	1.48	
CarTech Micro-Melt® PD#1	1.66	2.09	2.82	3.64	3.48	3.03	2.81	2.73	2.64	2.58	2.38	
CarTech Micro-Melt® PD#5	2.67	3.40	4.62	6.07	5.75	4.88	4.47	4.33	4.15	4.03	3.75	
CarTech Micro-Melt® SA508	0.37	0.42	0.46	0.45	0.46	0.49	0.49	0.49	0.50	0.51	0.53	
CarTech Micro-Melt® 15-5PH	0.92	1.04	1.04	1.02	1.08	1.13	1.11	1.08	1.10	1.10	1.11	
CarTech Micro-Melt® T15	10.28	14.44	20.18	28.44	26.28	21.64	19.67	19.11	17.98	17.17	14.88	
CarTech Micro-Melt® T15 Plus	9.69	13.34	18.34	25.38	23.56	19.70	18.04	17.57	16.61	15.87	13.85	
CarTech Micro-Melt® TD#1	2.38	3.12	4.15	5.49	5.16	4.52	4.23	4.17	4.04	3.93	3.56	
CarTech Micro-Melt® TF1	1.41	1.58	1.83	1.93	1.95	2.01	2.01	2.01	2.02	1.99	1.90	
CarTech Micro-Melt® VA176	2.23	2.41	3.31	3.88	3.92	3.35	3.00	2.79	2.67	2.67	2.72	

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)

Alloy Description	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
CarTech Micro-Melt® X245	1.64	1.81	2.66	3.15	3.22	2.69	2.38	2.17	2.05	2.04	2.05	
CarTech Micro-Melt Invar 36®	2.93	3.62	3.47	3.46	3.66	3.86	3.60	3.36	3.39	3.30	3.11	
CarTech Micro-Melt® C300	4.57	5.38	5.67	5.78	5.75	6.06	6.00	5.92	5.92	5.69	5.52	
CarTech Micro-Melt® 420-CW Mod	2.09	2.25	3.05	3.57	3.61	3.08	2.77	2.58	2.48	2.47	2.51	
Micro-Melt Ferrium® C64	9.65	11.73	11.90	12.20	12.30	12.68	12.19	11.71	11.60	11.01	10.13	
CarTech Micro-Melt® SA508 Gr4N	0.67	0.77	0.80	0.80	0.83	0.88	0.85	0.84	0.85	0.85	0.85	
CarTech Micro-Melt® MS-1(N)	4.63	5.45	5.74	5.85	5.82	6.13	6.08	5.99	6.00	5.76	5.60	
CT POWDERRANGE 304	1.13	1.32	1.29	1.29	1.38	1.44	1.38	1.32	1.34	1.31	1.32	
CT POWDERRANGE 316L	1.99	2.31	2.36	2.36	2.47	2.64	2.58	2.53	2.58	2.56	2.64	
CT POWDERRANGE H13	0.85	0.97	1.19	1.30	1.30	1.26	1.22	1.21	1.21	1.22	1.27	
CT POWDERRANGE17-4AR	1.07	1.20	1.22	1.20	1.26	1.33	1.32	1.30	1.32	1.32	1.36	

Unless otherwise noted, trademarks reg. U.S. Pat. & Tm. Off. to CRS Holdings, Inc., a subsidiary of Carpenter Technology Corporation.

Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.

Raw Material and Energy Powder Surcharges 2026
USD/LB (applicable at time of shipment)



Carpenter reserves the right to change base values and/or add producer premiums to accurately reflect the changes in raw material markets and prices.